

WHY BELGARD®?

Our purpose is to make outside your kind of beautiful. This goes beyond turning creativity and craftsmanship into lasting outdoor spaces. It means bringing your vision to life, together. Because with Belgard, you get more than just beautiful products, you get a partner to help you every step of the way.

INSPIRATION. Ignite your creativity with our online visualizer tool—designed to help you explore and experiment with different styles and design principles.

Visit: Belgard.com/Seeit

EXPERTISE. Our network of Belgard Authorized Contractors are ICPI* trained and must pass specific Belgard requirements to deliver superior craftsmanship, ensuring your outdoor space features only the most contemporary work.

*Interlocking Concrete Pavement Institute

Find a contractor: Belgard.com/Locator

PEACE OF MIND. Not only do we stand behind our products with a lifetime limited warranty, but Belgard is also the only hardscapes company backed by the Good Housekeeping Seal for quality and assurance.

Visit: Belgard.com/GHseal and Belgard.com/Warranty

FLEXIBILITY. We offer same-as-cash financing options and payment plans to help you realize your vision on your budget. Belgard Preferred Payment is available through select Belgard Authorized Contractors and Dealers.

Visit: Belgard.com/BPP



ABOUT US

At Belgard®, our uncompromising quality and craftsmanship sets the standard for hardscapes, landscape design and innovation. Our products combine weatherresistant beauty and long-lasting durability to create captivating outdoor spaces that last for decades with minimal maintenance. And our remarkably natural look and feel is unrivaled in the industry.

Since 1995, our locally made and nationally backed products have transformed thousands of residential and commercial properties across North America. With more shapes, styles and textures than any other brand, Belgard's Outdoor Living paving and wall products aren't just functional, they infuse outdoor spaces with distinctive atmosphere and style.

Every day, our network of Belgard Authorized Dealers and Contractors helps customers realize their outdoor dreams. And every year, we strive to improve our product and service offerings by dedicating more than 20,000 hours to research and development. By staying ahead of design trends, we are able to provide designforward products that homeowners envision for their backyard spaces.

All of our outdoor products—when installed by a Belgard Authorized Contractor are covered by a transferable lifetime limited warranty. That's just part of our commitment to lasting outdoor beauty.

Stay connected with Belgard® for design inspiration, entertaining ideas, contests, recipes and more.



Belgard.com/Enews

Facebook.com/BelgardHardscapes

YouTube.com/BelgardHardscapes



Belgard.com/Blog

Pinterest.com/Belgard



Twitter.com/Belgard

PEACE OF MIND, GUARANTEED

Lifetime Transferable Limited Warranty

Oldcastle Architectural, Inc. ("Belgard") is proud to inform you that all of our interlocking concrete paver and retaining walls ("Products") meet and/or exceed the requirements of ASTM C-936 and ASTM C-1372. Belgard guarantees its Products against these standards for the lifetime of the Product defined by ICPI. This guarantee does not apply to splitting, chipping or other breakage that could be caused by impact, abrasion or overloading. This warranty is transferable. *The original proof of purchase is required*.

This warranty is only valid if the material is installed under the guidelines of the ICPI (www. ICPI.org), The NCMA (www.ncma.org) or the Belgard Installation Guideline Manual. Improper installation voids this warranty. This warranty is for residential applications only and does not apply to commercial applications. It is recommended that the job is installed by a Belgard Authorized Contractor who guarantees their workmanship for a minimum of 2 years from the date of install.

For warranty service, contact Belgard at 1-800-BELGARD. A service representative will investigate your claim within 10 business days. If the Belgard Product fails to meet the specifications, Belgard will replace the defective product at no charge. Color matching cannot be guaranteed. Belgard will not be responsible for any replacement labor, consequential damages or incidental damages. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE. SOME STATES DO NOT ALLOW FOR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU

HOUSEKEEPING


For more information, please visit us at:

Belgard.com/GHseal and Belgard.com/Warranty



TABLE of CONTENTS EASY REFERENCE.......06 PORCELAIN PAVERS **PAVERS** Quarziti 2.0 106 Appian Stone Stones 2.0 107 & Appian Combo 12 Sundeck 108 Appian Stone Grande 14 Unico109 Appian Stone Grande Tiles 16 **WALLS** Appain Stone Tiles 18 Anchor Diamond® 9D......112 Anchor Diamond® Pro......114 Cambridge 3-Piece 24 Anchor Diamond Pro Stone Cut® 116 Catalina™......28 Anchor Highland Stone®......118 City Series 30 Castle Manor™......120 Clay Pavers......34 Mega-Tandem[™] Wall122 Tandem® Wall....... 126 Tandem® Wall Column Kit 134 Dublin Cobble® 3-Piece Tandem® Modular Grid.......138 Weston Stone® 3-Piece & Universal 140 Weston Stone® Fire Pit Kits......142 COPING & EDGER Aquastyl®.......160 Bullnose Coping 161 Fountainhead Coping......162 Seville Coping.......163 Moduline™ Series 58 Oceanside Coping.......164 Oceanside.......62 Available Coping Colors......165 **BELGARD ELEMENTS** Old York™ Paver68 Quarry Stone 70 Brighton Series 172 Urbana® Stone Tile74 Belgard Brick Oven...... 182 **Belgard Elements** PERMEABLE PAVERS Limited Warranty......185 Aguaflow 80 Clay Permeable Pavers......82 ACCESSORIES Eco Dublin®.......84 Polymeric Sand, Eco-Holland™......86 Sealers, Cleaners & Adhesives......190 Eco Priora 88 Turfstone[™].......92









"We had originally planned to phase out our makeover plans over a couple of years. Belgard Preferred Payment allowed us to do all of the work at once without overextending our budget by spreading the cost out over time with zero interest."

 Christi Simoneaux, homeowner, regarding her recent backyard makeover

PREFERRED PAYMENT

Get started with Same-as-Cash financing available only through Belgard Authorized & Participating Contractors.

3/6/12/18 MONTH PAYMENT OPTIONS

BENEFITS:

- No payments and no interest on approved credit
- 100% unsecured financing up to \$55,000 on approved credit*
- A quick, easy and safe toll-free loan-by-phone application process
- A fast credit decision in about 10 minutes
- No paperwork
- Peace of mind because you provide your personal financial information directly to the bank and not to your contractor or online
- No application fee, no closing costs and no prepayment penalties

Do you have questions? Are you ready to get started?

Go to Belgard.com/locator to find a participating contractor.



* EnerBank USA has helped tens of thousands of homeowners get the payment options they need to fulfill their home improvement and remodeling dreams. EnerBank USA is a wholly owned subsidiary of CMS Energy Corp., which is traded on the New York Stock Exchange under the symbol CMS. Loans provided by EnerBank USA (1245 E. Brickyard Rd., Suite 640, Salt Lake City, UT 84106) on approved credit, for a limited time. Repayment terms vary from 15 to 138 months. 16.72% fixed APR, effective as of June 1, 2014, is subject to change. Interest waived if repaid before loan due date.

Belgard Preferred Payment is only available in the United States

DESIGN STUDIO

Research has shown that 3D design has a significant competitive advantage.

THE PROCESS:

STEP 1: Gather

Estimate Site Measurements - Capture Site Photos Complete Project Sketch/Design - Establish Product Preferences

STEP 2: Submit

Belgard.com/designstudio - Submit Project Data

STEP 3: Receive

4-5 Day Turnaround - 4 Perspective Photos - Overhead Photo Estimated Material List & Video upon Request

TOP THREE REASONS TO USE BELGARD DESIGN STUDIO:

Reason 1: It's **FREE** to Belgard Authorized Contractors

Reason 2: It works - closure rates from our users average 80%

Reason 3: It's easy to use - either laptop or mobile device







Belgard.com/designstudio

"BDS completed designs help tremendously with explaining the intended result with our skilled staff and supervisors. It is also great to see the before photos, design, and after picture to see how we have taken an outdoor living project from concept to complete."

- Ben Pamplin, President of Heart of Texas Landscape and Irrigation





APPIAN STONE & APPIAN COMBO

Paver





PRODUCT SPECIFICATIONS

Α	Appian Square 60)mm	С	Appian 2-Pi	ece Combo 60mm
6 x 6 x 2 3/8		6 x 6 x	2 3/8		
В	Appian Rectangle	60mm		x 2 3/8	
	6 x 9 x 2 3/8				


APPIAN SQUARE 60MM			
Manufacturing Plant	WPB/ORL	НС	LA
SqFt/ Pallet	97	112	95
Layers/ Pallet	10	10	12
Units/ Pallet	350	420	336
Weight/ Pallet	2522 lbs	2912 lbs	2470 lbs
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	-		

APPIAN RECTANGLE 60MM				
Manufacturing Plant	WPB/ORL	НС	LA	
SqFt/ Pallet	103	121	100	
Layers/ Pallet	10	10	12	
Units/ Pallet	250	296	240	
Weight/ Pallet	2678 lbs	3146 lbs	2600 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli			
Additional Notes	-			

APPIAN 2-PIECE COMBO 60MM			
Manufacturing Plant	WPB, ORL, HC	LA	
SqFt/ Pallet	103	100	
Layers/ Pallet	10	12	
Units/ Pallet	280	276	
Weight/ Pallet	2678 lbs	2600 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

APPIAN STONE COLOR GUIDE





BELGARD[°]

APPIAN STONE GRANDE

Paver





PRODUCT SPECIFICATIONS

Appian Grande Combo 60mm	
9 x 9 x 2 3/8	
9 x 14 x 2 3/8	


PALLET INFORMATION / ESTIMATING CHART

APPIAN GRANDE 60MM COMBO			
Manufacturing Plant	WPB-LA	нс	
SqFt/ Pallet	112	99	
Layers/ Pallet	12	10	
Units/ Pallet	132	120	
Weight/ Pallet	2912 lbs	2574 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

NOTES

For more pattern options visit belgard.com/products/pavers

APPIAN STONE GRANDE COMBO COLOR GUIDE ADOBE AMARETTO BENTCREEK BROWN-CHESTNUT HARVEST BLEND KNIGHTSBRIDGE NAPOLI TUSCANY



APPIAN STONE GRANDE TILES

Tile





PRODUCT SPECIFICATIONS


Appian Grande Tile 2-Piece Combo 30mm		
9 x 9 x 1 3/16		
9 x 14 x 1 3/16		

APPIAN GRANDE TILE 2-PIECE COMBO 30MM		
Manufacturing Plant	нс	
SqFt/ Pallet	140	
Layers/ Pallet	15	
Units/ Pallet	165	
Weight/ Pallet	1860 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

APPIAN STONE TILE 2-PIECE COMBO COLOR GUIDE



APPIAN STONE TILE 2-PIECE COMBO LAYING GUIDE



NOTES

For more pattern options visit belgard.com/products/pavers

APPIAN STONE TILES

Tile





PRODUCT SPECIFICATIONS


Appian Tile 2-Piece Combo 30mm	
6 x 6 x 1 3/16	
6 x 9 x 1 3/16	

APPIAN TILE 2-PIECE COMBO 30MM			
Manufacturing Plant	WPB	HC, LA	
SqFt/ Pallet	124	124	
Layers/ Pallet	12	15	
Units/ Pallet	336	336	
Weight/ Pallet	1652 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

APPIAN STONE TILE 2-PIECE COMBO COLOR GUIDE



APPIAN STONE TILE 2-PIECE COMBO LAYING GUIDE



NOTES

For more pattern options visit belgard.com/products/pavers

BERGERAC® 4-PIECE

Paver





PRODUCT SPECIFICATIONS


4-Piece Combo 60mm		
5 1/2 x 4 3/4 x 2 3/8		
5 1/2 x 6 1/2 x 2 3/8		
5 1/2 x 8 x 2 3/8		
5 1/2 x 9 1/2 x 2 3/8		

BERGERAC 4-PIECE COMBO 60MM		
Manufacturing Plants	WPB, JAX	
SqFt/ Pallet	108	
Layers/ Pallet	10	
Units/ Pallet	390 (Total) 90-Sml 70-Med 130-Lg 100-X Lg	
Weight/ Pallet	2848 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	


BERGERAC 4-PIECE COMBO COLOR GUIDE








BERGERAC 4-PIECE COMBO LAYING GUIDE





NOTES

 $For \ more \ pattern \ options \ visit \ belgard.com/products/pavers$


BERGERAC® CIRCLE


Paver







PRODUCT SPECIFICATIONS









BERGERAC CIRCLE COLOR GUIDE







PALLET INFORMATION / ESTIMATING CHART

EACH PALLET CONTAINS:

1 circle 10' 7" in diameter

CIRCLE KIT					
Manufacturing Plants	SqFt/ Pallet	Layers/ Pallet	Units/ Pallet	Weight/ Pallet	Core Colors
WPB, JAX	95	10	560	2510 lbs	Amaretto Harvest Blend Napoli

NOTE:

Circle Kits are sold in full pallets ONLY. Becomes Dublin circle if installed upside-down (Bergerac side down)

Sold by full cube only.

NOTES

For more pattern options visit belgard.com/products/pavers

CAMBRIDGE 3-PIECE

Paver





PRODUCT SPECIFICATIONS

3-Piece Modular 60mm		
3 x 6 x 2 3/8		
6 x 6 x 2 3/8		
6 x 9 x 2 3/8		


	CAMBRIDGE COBBLE 3-P	IECE
Manufaturing Plant	WPB, ORL, HC	LA
SqFt/ Pallet	103	100
Layers/ Pallet	10	12
Units/ Pallet	310	300
Weight/ Pallet	2678 lbs	2600 lbs
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

CAMBRIDGE 3-PIECE COLOR GUIDE



Color Swatches DO NOT represent product texture.

CAMBRIDGE 3-PIECE LAYING GUIDE



NOTES

 $For \ more \ pattern \ options \ visit \ belgard.com/products/pavers$


CAMBRIDGE 3-PIECE TILE

Tile





PRODUCT SPECIFICATIONS



CAMBRIDGE 3- PIECE TILE				
	WPB	HC-LA		
SqFt/ Pallet	124			
Layers/ Pallet	12	15		
Units/ Pallet	372			
Weight/ Pallet	1652 lbs			
Core Colors	Special Order			
Additional Notes	Sold by full cube only.			

CAMBRIDGE 3-PIECE TILE COLOR GUIDE



3-PIECE PATTERN A 3-PIECE PATTERN B 3-PIECE RANDOM RUNNING BOND

NOTES

For more pattern options visit belgard.com/products/pavers


CATALINATM

Paver



PEDESTRIAN	COLORGARD PROCESS	FINISH
(*)	©	SMOOTH
\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS



Catalina 3-Piece	60mm
4 x 8 x 2 3/8	
8 x 8 x 2 3/8	
8 x 12 x 2 3/8	


Catalina 3-Piece 80mm		
4 x 8 x 3 1/8		
8 x 8 x 3 1/8		
8 x 12 x 3 1/8		

CATALINA 3-PIECE 30MM		
	WPB	
SqFt/ Pallet	103	
Layers/ Pallet	10	
Units/ Pallet	240	
Weight/ Pallet	1490	
Additional Notes	Sold in full cubes only	

CATALINA 3-PIECE 60MM		
	WPB/ORL	
SqFt/ Pallet	103	
Layers/ Pallet	10	
Units/ Pallet	240	
Weight/ Pallet	2778	
Additional Notes	Sold in full cubes only	

CATALINA 3-PIECE 80MM		
WPB/ORL		
SqFt/ Pallet	82	
Layers/ Pallet	8	
Units/ Pallet	192	
Weight/ Pallet	2970	
Additional Notes	Sold in full cubes only	





NOTES

For more pattern options visit belgard.com/products/pavers


CITY SERIES


Paver




PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	TEXTURGARD PROCESS	FINISHES
(<u>k</u>)		©	\bigcirc	SMOOTH
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark


PRODUCT SPECIFICATIONS













PALLET INFORMATION / ESTIMATING CHART

CITY 8X8 60MM

CITY 6X6 60MM		
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	97	
Layers/ Pallet	10	
Units/ Pallet	400	
Weight/ Pallet	2522 lbs	
Core Colors	Special Order	

ts	WI D, OILL	Plants	WI D, OIL	110	LA
t/ et	97	SqFt/ Pallet	104	133	93
rs/ et	10	Layers/ Pallet	10	10	12
s/ et	400	Units/ Pallet	240	300	216
ht/ et	2522 lbs	Weight/ Pallet	2704 lbs	3458 lbs	2418 lbs
e irs	Special Order	Core Colors		Special Order	
CITY 12X12 60MM		CITY RECTANGLE 8X12 60MM			

CITY DIAMOND 60MM (sold by full cube only)			
Manufacturing Plants	WPB, ORL		
SqFt/ Pallet	60		
Layers/ Pallet	10		
Units/ Pallet	60		
Weight/ Pallet	1560 lbs		
Core Colors	Special Order		

CITY 12X12 60MM					
Manufacturing Plants	WPB, ORL	НС	LA		
SqFt/ Pallet	116	120	95		
Layers/ Pallet	10	10	12		
Units/ Pallet	116	120	95		
Weight/ Pallet	3016 lbs 3120 lbs 2470 lb				
Core Colors	Special Order				

CI	CITY RECTANGLE 8X12 60MM			
Manufacturing Plants	WPB, ORL			
SqFt/ Pallet	106			
Layers/ Pallet	10			
Units/ Pallet	160			
Weight/ Pallet	2756 lbs			
Core Colors	Special Order			

CITY BISHOP HAT 60MM (sold by full cube only)					
Manufacturing Plants	нс	LA			
SqFt/ Pallet	97	73			
Layers/ Pallet	10	12			
Units/ Pallet	-	144			
Weight/ Pallet	2522 lbs	1898 lbs			
Core Colors	Special Order				

CITY 12X12 TILE

TIle





PRODUCT SPECIFICATIONS




CITY TILE 12X12 30MM						
Manufacturing Plants	WPB	LA				
SqFt/ Pallet	116	240	186			
Layers/ Pallet	10	20	24			
Units/ Pallet	120	240	192			
Weight/ Pallet	1558 lbs	3160 lbs	2458 lbs			
Core Colors	Special Order					
Additional Notes	Sold by full cube only.					

NOTES


For more pattern options visit belgard.com/products/pavers





CITY LAYING GUIDE (CONTINUED)





CITY DIAMOND LAYING GUIDE














CLAY PAVERS

Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY TRAFFIC	ADA	FINISHES	
*				Ł	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓

PRODUCT SPECIFICATIONS

Courtyard Clay Paver	
4 x 8 x 2 1/4	

Georgian Paver	
4 x 8 x 2 1/4	•

Georgian Paver- Heavy [Outy
4 x 8 x 2 3/4	

PALLET INFORMATION / ESTIMATING CHART

COURTYARD CLAY PAVER						
SqFt/Pallet	Layers/Pallet	Units/Pallet	Weight/Pallet	Core Colors		
102	-	460	2576 lbs	Full Range, Red, Harvest Blend, Canterra		

GEORGIAN EDGE *Cubes per truck based on 46,000 lbs.					
Unit Wieght	Units/Cube	Units/SqFt	SqFt/Cube	Cubes/Truck*	Core Colors
5.5	460	4.5	102	18	Full Range, Red, Mahogany, Harvest, Siesta


GEORGIAN EDGE HEAVY DUTY *Cubes per truck based on 46,000 lbs.					
Unit Wieght	Units/Cube	Units/SqFt	SqFt/Cube	Cubes/Truck*	
6.7	380	4.5	84	18	Full Range, Red

NOTES

For more pattern options visit belgard.com/products/pavers

CLAY PAVERS COLOR GUIDE











Additional Colors Include: Harvest Blend, Canterra, Mahogany, and Siesta

CLAY PAVERS LAYING GUIDE











COLONY

Non-Chamfered Edge Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	TEXTURGARD PROCESS	FINIS	SHES
*		©	\bigcirc	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	\checkmark	\checkmark	✓	\checkmark	\checkmark

PRODUCT SPECIFICATIONS

4 x 8 x 2 3/8

Colony 6x6 60mm
6 x 6 x 2 3/8

8 x 8 x 2 3/8


NOTES For more pattern options visit belgard.com/products/pavers

COLONY 4X8 60MM		
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	104	
Layers/ Pallet	10	
Units/ Pallet	480	
Weight/ Pallet	2704 lbs	
Core Colors	Special Order	
Additional Notes	-	

COLONY 6X6 60MM		
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	97	
Layers/ Pallet	10	
Units/ Pallet	400	
Weight/ Pallet	2522 lbs	
Core Colors	Special Order	
Additional Notes	-	

COLONY 8X8 60MM		
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	104	
Layers/ Pallet	10	
Units/ Pallet	240	
Weight/ Pallet	2704 lbs	
Core Colors	Special Order	
Additional Notes	-	





CORINTH

Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	TEXTURGARD PROCESS	FINISHES	
*		(6)	\bigcirc	SMOOTH TUMBLED ANTIQUEE	
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS

2-Piece Modular (WPB,HC) 60mm				
4 1/2 x 4 1/2 x 2 3/8				
4 1/2 x 7 x 2 3/8				

3-Piece Modular (LA, HC) 60mm				
2 1/4 x 4 1/2 x 2 3/8				
4 1/2 x 4 1/2 x 2 3/8				
4 1/2 x 7 x 2 3/8				


PALLET INFORMATION / ESTIMATING CHART

CORINTH 2-PIECE 60MM						
WPB HC						
SqFt/ Pallet	95	110				
Layers/ Pallet	10					
Units/ Pallet	560	640				
Weight/ Pallet	2470 lbs	2860 lbs				
Core Colors	Special Order					
Additional Notes	Sold by full cube only.					

CORINTH 3-PIECE 60MM					
HC LA					
SqFt/ Pallet	122	110			
Layers/ Pallet	10	12			
Units/ Pallet	680	624			
Weight/ Pallet	3172 lbs	2860 lbs			
Core Colors	Special Order				
Additional Notes	Sold by full cube only.				

NOTES





DUBLIN COBBLE® 3-PIECE & LARGE SQUARE

Paver





PRODUCT SPECIFICATIONS

3-Piece Modular 60mm			
3 x 6 x 2 3/8			
6 x 6 x 2 3/8			
6 x 9 x 2 3/8			




PALLET INFORMATION / ESTIMATING CHART

DUBLIN COBBLE 60MM 3-PIECE					
Manufacturing Plants	WPB	JAX			
SqFt/ Pallet	104	113			
Layers/ Pallet	10				
Units/ Pallet	400	480			
Weight/ Pallet	2704 lbs	2938 lbs			
Core Colors	Amaretto, Harvest Blend, Napoli				
Additional Notes	Sold by full cube only.				

DUBLIN COBBLE 60MM LARGE SQUARE			
Manufacturing Plants	WPB, JAX		
SqFt/ Pallet	80		
Layers/ Pallet	10		
Units/ Pallet	150		
Weight/ Pallet	2080 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

NOTES


DUBLIN COBBLE COLOR GUIDE











DUBLIN COBBLE LAYING GUIDE




















DUBLIN DOMINO™

Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	COLORGARD PROCESS	FINISHES	
(1)			6	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS Multi-Piece 60mm 6 x 12 x 2 3/8


PALLET INFORMATION / ESTIMATING CHART


DUBLIN DOMINO MULTI-PIECE 60MM			
Manufacturing Plants	FP		
SqFt/ Pallet	120		
Layers/ Pallet	8		
Units/ Pallet	192		
Weight/ Pallet	3120 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

For more pattern options visit belgard.com/products/pavers				

NOTES

DUBLIN DOMINO COLOR GUIDE









Color Swatches DO NOT represent product texture.

DUBLIN DOMINO LAYING GUIDE






HOLLAND STONE

Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY Traffic	ADA	COLORGARD PROCESS	TEXTURGARD PROCESS	FINIS	SHES
*				E	©	\bigcirc	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	60mm	80mm	100mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark



For more pattern options visit belgard.com/products/pavers For more pattern options visit belgard.com/products/pavers

	HOLLAND STONE 60MM						
Manufacturing Plants	WPB, ORL	нс	LA				
SqFt/ Pallet	104	120	110				
Layers/ Pallet	10	10	12				
Units/ Pallet	480	540	504				
Weight/ Pallet	2724 lbs	3120 lbs	2860 lbs				
Core Colors	Amaretto, Harvest Blend, Napoli						
Additional Notes		-					


	HOLLAND STONE 80MM						
Manufacturing Plants	WPB, ORL	нс	LA				
SqFt/ Pallet	83	120	84				
Layers/ Pallet	8	10	9				
Units/ Pallet	384	540	378				
Weight/ Pallet	2905 lbs	4200 lbs	2940 lbs				
Core Colors	Special Order						
Additional Notes	Sold by full cube only.						

PALLET INFORMATION / ESTIMATING CHART

HOLLAND STONE 100MM
нс
80
8
344
3784 lbs
Special Order
Sold by full cube only. Available in Mechanical Herringbone Layout.

HOLLAND STONE COLOR GUIDE ADOBE AMARETTO BENTCREEK BROWN-CHESTNUT HARVEST BLEND KNIGHTSBRIDGE NAPOLI TUSCANY

Color Swatches DO NOT represent product texture.



HOLLAND TILE

Paver Tile



PEDESTRIAN	ADA	COLORGARD PROCESS	TEXTURGARD PROCESS	FINISHES
<u>*</u>	F	©	\bigcirc	SMOOTH
\checkmark	✓	\checkmark	✓	\checkmark

PRODUCT SPECIFICATIONS

PALLET INFORMATION / ESTIMATING CHART




HOLLAND TILE 30MM					
Manufacturing Plant	WPB HC, LA				
SqFt/ Pallet	145				
Layers/ Pallet	14 16				
Units/ Pallet	67	72			
Weight/ Pallet	2008 lbs	1925 lbs			
Core Colors		cial der			
Additional Notes		-			

NOTES

HOLLAND TILE COLOR GUIDE ADOBE AMARETTO BENTCREK BROWN-CHESTNUT HARVEST BLEND KNIGHTSBRIDGE NAPOLI TUSCANY

Color Swatches DO NOT represent product texture.



LAFITT™ 3-PIECE PAVER

Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	FINISHES	
(*)		©	Textured	
\checkmark	\checkmark	✓	\checkmark	

PRODUCT SPECIFICATIONS Small Rectangle 60mm 4 x 8 x 2 3/8 Medium Square 60mm 8 x 8 x 2 3/8 Large Rectangle 60mm 12 x 8 x 2 3/8


PALLET INFORMATION / ESTIMATING CHART

LAFIT	T 3-PIECE 60MM
Manufacturing Plant	FP, JAX
SqFt/ Pallet	115
Layers/ Pallet	10
Units/ Pallet	54
Weight/ Pallet	3040 lbs
Core Colors	Amaretto, Harvest Blend, Napoli
Additional Notes	Sold by full cube only.


NOTES $For \ more \ pattern \ options \ visit \ belgard.com/products/pavers$

LAFITT 3-PIECE COLOR GUIDE










LAFITT[™] RUSTIC SLAB

Paver








PALLET INFORMATION / ESTIMATING CHART


LAFITT RUSTIC SLAB 50MM			
Manufacturing Plant	FP, JAX		
SqFt/ Pallet	163		
Layers/ Pallet	14		
Units/ Pallet	112		
Weight/ Pallet	3718 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		




LAFITT RUSTIC SLAB COLOR GUIDE









MEGA-ARBEL®

Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	FINISHES	
(*)		©	TEXTURED	
\checkmark	\checkmark	\checkmark	\checkmark	

PRODUCT SPECIFICATIONS




PALLET INFORMATION / ESTIMATING CHART

MEGA-ARBEL 80MM			
Manufacturing Plant	WPB, ORL, JAX		
SqFt/ Pallet	69		
Layers/ Pallet	8		
Units/ Pallet	48		
Weight/ Pallet	2455 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	-		

NOTES

MEGA-ARBEL COLOR GUIDE










MEGA-ARBEL LAYING GUIDE

Before you start, familiarize yourself with the Mega-Arbel pavers. Begin by placing 3 pavers together to form a cloverleaf.




To make the installation easier, the front of the paver should point to the back of the other paver.






Begin by laying 3 pavers at the center of the surface to be covered.



Add more sets of cloverleafs to fill in the surface to be covered.



Complete the balance of the surface to be covered with single pavers.


MEGA-CAMBRIDGE™

Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	COLORGARD PROCESS	FINISHES
(<u>k</u>)			©	TUMBLED/ ANTIQUED
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark


PRODUCT SPECIFICATIONS








MEGA-CAMBRIDGE LAYING GUIDE





MEGA-CAMBRIDGE COLOR GUIDE



PALLET INFORMATION / ESTIMATING CHART

	MEGA-CAMBRIDGE™ 30MM							
UNITS	MANUFACTURING PLANTS	SQFT/ PALLET	PIECES/ CUBE	LAYERS/ CUBE	PIECES/ Layer	WEIGHT/ PIECE	WEIGHT/ CUBE	Additional Notes
RECTANGLE 6X9			96	12	8	5.5 lbs		
SQUARE 9X9	JAX	136	96	12	8	8 lbs	1875 lbs	Sold in full cubes only
RECTANGLE 9X12			48	12	4	11 lbs		

	MEGA-CAMBRIDGE™ 60MM							
UNITS	MANUFACTURING PLANTS	SQFT/ PALLET	PIECES/ CUBE	LAYERS/ CUBE	PIECES/ LAYER	WEIGHT/ PIECE	WEIGHT/ CUBE	Additional Notes
RECTANGLE 6X9			80	10	8	11 lbs		
SQUARE 9X9	JAX/FP	114	80	10	8	16 lbs	3080 lbs	Sold in full cubes only
RECTANGLE 9X12			40	10	4	22 lbs		

	MEGA-CAMBRIDGE™ 80MM							
UNITS	MANUFACTURING PLANTS	SQFT/ PALLET	PIECES/ CUBE	LAYERS/ CUBE	PIECES/ LAYER	WEIGHT/ PIECE	WEIGHT/ CUBE	Additional Notes
RECTANGLE 6X9			64	8	8	15 lbs		
SQUARE 9X9	JAX/FP	92	64	-	8	22 lbs	3325 lbs	Sold in full cubes only
RECTANGLE 9X12			32	-	4	29 lbs		•

$MEGA\text{-}LAFITT^{\text{\tiny TM}}$

Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	FINISHES
*		©	TEXTURED
\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS

A 3-Piece Modular 80mm 5 1/4 x 10 1/2 x 3 1/8 10 1/2 x 10 1/2 x 3 1/8 10 1/2 x 15 3/4 x 3 1/8 B Large Square 80mm 15 3/4 x 15 3/4 x 3 1/8

PALLET INFORMATION / ESTIMATING CHART


MEGA-LAFITT 3-PIECE 80MM		
Manufaturing Plants	JAX,FP	
SqFt/ Pallet	93	
Layers/ Pallet	9	
Units/ Pallet	117	
Weight/ Pallet	3295 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

MEGA-LAFITT LARGE SQUARE 80MM			
Manufaturing Plants	JAX,FP		
SqFt/ Pallet	93		
Layers/ Pallet	9		
Units/ Pallet	54		
Weight/ Pallet	3295 lbs		
Core Colors	Amaretto, Harvest Blend, Napoli		
Additional Notes	Sold by full cube only.		

NOTES


MEGA-LAFITT COLOR GUIDE







57




MODULINE[™] SERIES

Paver







MODULINE COLOR GUIDE




NOTES

For more pattern options visit belgard.com/products/pavers

PALLET INFORMATION / ESTIMATING CHART

			MODULINE SERIES			
ltem	Height	Units/ Layer	SqFt/ Layer	Layers/ Pallet	SqFt/ Pallet	Weight/ Pallet
А	60mm	44	11	10	100	2992
В	80mm	44	11	8	88	3177
С	100mm	44	11	8	88	3820
D	100mm	24	10.7	8	85	4375
E	60mm	48	12	10	120	3264
F	80mm	48	12	8	96	3466
G	100mm	48	12	6	72	3269
Н	60mm	28	8.45	10	84.5	2298
I	60mm	30	11.25	10	112.5	3060
J	80mm	30	11.25	8	90	3249
К	60mm	24	12	10	120	3264
L	80mm	24	12	8	96	3466
M	100mm	24	12	6	72	3269
N	60mm	12	10	10	120	3264
0	60mm	12	10	10	120	3264
Р	80mm	12	12	8	96	3466
Q	100mm	12	12	6	72	3269
R	60mm	8	12	10	120	3264
S	60mm	6	12	10	120	3264
Ţ	60mm	4	9	10	90	2448
U	60mm	4	12	10	120	3264
V	60mm	2	8	10	80	2176
V	60mm	2	10	10	100	2720



OCEANSIDE

Paver



PEDESTRIAN LIGHT TRAFFIC FINISHES SMOOTH TUMBLED/ANTIQUED A,B A,B

PRODUCT SPECIFICATIONS A Oceanside 4x8 60mm 4 x 8 x 2 3/8 B Oceanside 8x8 60mm 8 x 8 x 2 3/8 C Oceanside 8x12 60mm 8 x 12 x 2 3/8 D Oceanside 12x12 60mm 12 x 12 x 2 3/8 E Oceanside Grande 16x16 60mm

4X8 60MM			
Manufacturing Plants	нс		
SqFt/ Pallet	96		
Layers/ Pallet	12		
Units/ Pallet	432		
Weight/ Pallet	2596 lbs		
Core Colors	Chestnut, Cream, Grey, Malt		
Additional Notes	Sold by full cube only.		

8X12 60MM		
Manufacturing Plants	нс	
SqFt/ Pallet	96	
Layers/ Pallet	12	
Units/ Pallet	144	
Weight/ Pallet	2596 lbs	
Core Colors	Chestnut, Cream, Grey, Malt	
Additional Notes	Sold by full cube only.	

GR/	ANDE16X16 60MM
Manufacturing Plants	НС
SqFt/ Pallet	107
Layers/ Pallet	10
Units/ Pallet	60
Weight/ Pallet	2882 lbs
Core Colors	Chestnut, Cream, Grey, Malt
Additional Notes	Sold by full cube only.


8X8 60MM		
Manufacturing Plants	нс	
SqFt/ Pallet	96	
Layers/ Pallet	12	
Units/ Pallet	216	
Weight/ Pallet	2596 lbs	
Core Colors	Chestnut, Cream, Grey, Malt	
Additional Notes	Sold by full cube only.	

PALLET INFORMATION / ESTIMATING CHART

12X12 60MM		
Manufacturing Plants	нс	
SqFt/ Pallet	96	
Layers/ Pallet	12	
Units/ Pallet	96	
Weight/ Pallet	2596 lbs	
Core Colors	Chestnut, Cream, Grey, Malt	
Additional Notes	Sold by full cube only.	



For more pattern options visit belgard.com/products/pavers



OCEANSIDE TILE

Tile





PRODUCT SPECIFICATIONS




Oceanside Tile 12x12 30mm		
12 x 12 x 1 3/16		

PALLET INFORMATION / ESTIMATING CHART

4X8 30MM		
Manufacturing Plant	НС	
SqFt/ Pallet	145	
Layers/ Pallet	18	
Units/ Pallet	648	
Weight/ Pallet	2275 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

12X12 30MM		
Manufacturing Plant	НС	
SqFt/ Pallet	192	
Layers/ Pallet	24	
Units/ Pallet	192	
Weight/ Pallet	2980 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

NOTES



OLD WORLD PAVER™

Paver





PRODUCT SPECIFICATIONS 3-Piece Modular 80mm 5x8x31/8 5x10x31/8 5x13x31/8

PALLET INFORMATION / ESTIMATING CHART


OLDWORLD PAVER 80MM		
Manufacturing Plants	FP, JAX	
SqFt/ Pallet	90	
Layers/ Pallet	8	
Units/ Pallet	256 Small 88 Med. 96 Large 72	
Weight/ Pallet	3150 lbs	
Core Colors	Granite, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

For more pattern options visit belgard.com/products/pavers

NOTES


OLD WORLD PAVER COLOR GUIDE








OLD WORLD PAVER LAYING GUIDE






OLD YORK™ PAVER


Paver



PRODUCT SPECIFICATIONS





Note: Old York can be used as a permeable paver with proper joint and base materials.



Final swatch selection should always be verified with physical samples.







PALLET INFORMATION / ESTIMATING CHART

				OLD	YORK				
SqFt/ Pallet	SqFt/ Layer	Layers/ Pallet	Units/ Pallet	Units/ Layer	Units/ SqFt	Height/ Pallet	Weight/ Unit	Skid Size	Weight/ Pallet
120	12	10	540	54	4.5	29.2	5.5 lbs	36 in. x 48 in.	3054 lbs.

NOTES

QUARRY STONE

Paver



PEDESTRIAN	LIGHT TRAFFIC	COLORGARD PROCESS	FINIS	SHES
(<u>k</u>)		©	TUMBLED/ ANTIQUED	TUXTURED
\checkmark	\checkmark	✓	✓	✓

PRODUCT SPECIFICATIONS




PALLET INFORMATION / ESTIMATING CHART

QUARRY STONE 2-PIECE 60MM			
Manufacturing Plant	НС	WPB	
SqFt/ Pallet	124	114	
Layers/ Pallet	1	0	
Units/ Pallet	160	150	
Weight/ Pallet	3224 lbs	2964 lbs	
Core Colors	Special Order		
Additional Notes	Sold by full cube only.		

NOTES

QUARRY STONE 2-PIECE COLOR GUIDE ADOBE AMARETTO BENTCREEK BROWN-CHESTNUT HARVEST BLEND KNIGHTSBRIDGE NAPOLI TUSCANY

QUARRY STONE 2-PIECE LAYING GUIDE



URBANA® STONE

Paver



PEDESTRIAN	LIGHT Traffic	REGULAR TRAFFIC	COLORGARD PROCESS	FINISHES
(x)			©	TEXTURED
\checkmark	\checkmark	\checkmark	✓	\checkmark

PRODUCT SPECIFICATIONS

Α	3-Piece Modular 6	60mm
4 x 8 x	2 3/8	100
8 x 8 x	2 3/8	
8 x 12	x 2 3/8	



С	3-Piece Modul	ar 80mm
4 x 8 x	3 1/8	12.10
8 x 8 x	3 1/8	
8 x 12	x 3 1/8	

D	Large Square 80m	m
12 x 1	2 x 3 1/8	C. D.

PALLET INFORMATION / ESTIMATING CHART

3-PIECE 60MM		
Manufacturing Plants	WPB, ORL, JAX	
SqFt/ Pallet	103	
Layers/ Pallet	10	
Units/ Pallet	240	
Weight/ Pallet	2781 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

3-PIECE 80MM		
Manufacturing Plants	JAX, FP	
SqFt/ Pallet	105	
Layers/ Pallet	9	
Units/ Pallet	243	
Weight/ Pallet	3820 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

LARGE SQUARE 60MM	
Manufacturing Plants	WPB, ORL, JAX
SqFt/ Pallet	116
Layers/ Pallet	10
Units/ Pallet	120
Weight/ Pallet	3132 lbs
Core Colors	Amaretto, Harvest Blend, Napoli
Additional Notes	Sold by full cube only.

LARGE SQUARE 80MM	
Manufacturing Plants	JAX, FP
SqFt/ Pallet	105
Layers/ Pallet	9
Units/ Pallet	108
Weight/ Pallet	3780 lbs
Core Colors	Special Order
Additional Notes	-

URBANA STONE COLOR GUIDE







For more pattern options visit belgard.com/products/pavers

URBANA STONE LAYING GUIDE 3-PIECE & LG. SQUARE - PATTERN B 3-PIECE & LG. SQUARE - PATTERN B 3-PIECE & LG. SQUARE - PATTERN B 45° STACK RUNNING BOND


URBANA® STONE TILE

Tile





PRODUCT SPECIFICATIONS



PALLET INFORMATION / ESTIMATING CHART


3-PIECE TILE 30MM		
Manufacturing Plants	WPB	
SqFt/ Pallet	103	
Layers/ Pallet	10	
Units/ Pallet	240	
Weight/ Pallet	1441 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

LARGE SQUARE TILE 30MM		
Manufacturing Plants	WPB	
SqFt/ Pallet	116	
Layers/ Pallet	10	
Units/ Pallet	120	
Weight/ Pallet	1616 lbs	
Core Colors	Amaretto, Harvest Blend, Napoli	
Additional Notes	Sold by full cube only.	

NOTES

For more pattern options visit belgard.com/products/pavers


URBANA STONE TILE COLOR GUIDE










URBANA STONE TILE LAYING GUIDE












AQUA-BRIC®

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY TRAFFIC	PERMEABLE	COLORGARD PROCESS	FINISHES
*					©	SMOOTH
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark



*Available in Mechanical and Hand Installation

5 x 10 x 3 1/8


For more pattern options visit belgard.com/products/pavers

PALLET INFORMATION / ESTIMATING CHART

AQUA-BRIC 80MM		
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	80	
Layers/ Pallet	8	
Units/ Pallet	280	
Weight/ Pallet	2880 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	


AQUA-BRIC TYPE FOUR 80MM		
Manufacturing Plants	FP, JAX	
SqFt/ Pallet	80	
Layers/ Pallet	8	
Units/ Pallet	280	
Weight/ Pallet	2880 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only. Available in Mechanical and Hand Installation	

AQUA-BRIC COLOR GUIDE



AQUAFLOW

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY Traffic	PERMEABLE	COLORGARD PROCESS	FINISHES
(x)					©	SMOOTH
\checkmark	✓	\checkmark	\checkmark	\checkmark	✓	\checkmark

PRODUCT SPECIFICATIONS





PALLET INFORMATION / ESTIMATING CHART

AQUAFLOW 60MM		
Manufacturing Plants	НС	
SqFt/ Pallet	120	
Layers/ Pallet	10	
Units/ Pallet	540	
Weight/ Pallet	3120 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

AQUAFLOW 80MM		
Manufacturing Plants	НС	
SqFt/ Pallet	120	
Layers/ Pallet	10	
Units/ Pallet	540	
Weight/ Pallet	4200 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

NOTES

For more pattern options visit belgard.com/products/pavers

AQUAFLOW COLOR GUIDE










BASKET WEAVE




CLAY PERMEABLE PAVERS

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY TRAFFIC	PERMEABLE	ADA	COLORGARD PROCESS	FINIS	SHES
*					F	(G)	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	✓	✓	✓	✓	✓	\checkmark	\checkmark	\checkmark


PRODUCT SPECIFICATIONS A RainPave/Tumbled 4 x 8 x 2 3/4 B StormPave 4 x 8 x 2 3/4




NOTES For more pattern options visit belgard.com/products/pavers

CLAY PERMEABLE PAVERS COLOR GUIDE







ECO DUBLIN®

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	PERMEABLE	COLORGARD PROCESS	FINIS	SHES
(1)				6	SMOOTH	TUMBLED
\checkmark	✓	✓	✓	✓	✓	\checkmark


PRODUCT SPECI	FICATIONS
3-Piece Modular 80mm	
3 7/16 x 6 7/8 x 3 1/8	
6 7/8 x 6 7/8 x 3 1/8	•
6 7/8 x 10 1/4 x 3 1/8	

PALLET INFORMATION / ESTIMATING CHART

ECO DUBLIN 80MM		
Manufacturing Plants	FP, JAX	
SqFt/ Pallet	92	
Layers/ Pallet	8	
Units/ Pallet	288	
Weight/ Pallet	3348 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

NOTES For more pattern options visit belgard.com/products/pavers

ADOBE HARVEST BLEND NAPOLI SLATE



$ECO\text{-}HOLLAND^{\tiny TM}$

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY Traffic	PERMEABLE	COLORGARD PROCESS	FINIS	SHES
*					(6)	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS Eco-Holland 80mm 4 x 8 x 3 1/8 Eco-Holland II 80mm (Mechanical) 4 x 8 x 3 1/8




PALLET INFORMATION / ESTIMATING CHART

ECC	ECO-HOLLAND 80MM				
Manufacturing Plants	WPB, ORL				
SqFt/ Pallet	80				
Layers/ Pallet	8				
Units/ Pallet	384				
Weight/ Pallet	2880 lbs				
Core Colors	Special Order				
Additional Notes	-				

ECO-I	ECO-HOLLAND II 80MM				
Manufacturing Plants	WPB, ORL				
SqFt/ Pallet	80				
Layers/ Pallet	8				
Units/ Pallet	384				
Weight/ Pallet	2880 lbs				
Core Colors	Special Order				
Additional Notes	Sold by full cube only. Available in Mechanical Herringbone pattern.				

ECO-HOLLAND COLOR GUIDE




ECO PRIORA

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	PERMEABLE	COLORGARD PROCESS	FINIS	SHES
(1)		0	©	SMOOTH	TUMBLED/ ANTIQUED
\checkmark	✓	\checkmark	\checkmark	\checkmark	\checkmark


Eco Priora 4x8 60	nm
4 x 8 x 2 3/8	
Eco Priora 8x8 60	mm
8 x 8 x 2 3/8	




PALLET INFORMATION / ESTIMATING CHART

4.	X8 60MM	
Manufacturing Plants	WPB, ORL	
SqFt/ Pallet	104	
Layers/ Pallet	10	
Units/ Pallet	480	
Weight/ Pallet	2808 lbs	
Core Colors	Special Order	
Additional Notes	Sold by full cube only.	

8X8 60MM				
Manunfacturing Plants	WPB, ORL			
SqFt/ Pallet	104			
Layers/ Pallet	10			
Units/ Pallet	240			
Weight/ Pallet	2808 lbs			
Core Colors	Special Order			
Additional Notes	Sold by full cube only.			





SUBTERRA® STONE

Permeable Paver





PRODUCT SPECIFICATIONS





PALLET INFORMATION / ESTIMATING CHART

SUBTERRA				
Manufacturing Plants	WPB, ORL, HC, LA			
SqFt/ Pallet	95			
Layers/ Pallet	8			
Units/ Pallet	160			
Weight/ Pallet	3470 lbs			
Core Colors	Special Order			
Additional Notes	Sold by full cube only.			

NOTES

For more pattern options visit belgard.com/products/pavers





$TURFSTONE^{\scriptscriptstyle{TM}}$

Concrete Grid Slab



PEDESTRIAN	LIGHT TRAFFIC	PERMEABLE	COLORGARD PROCESS	FINISHES
(*)		0	©	SMOOTH
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS




PALLET INFORMATION / ESTIMATING CHART

	TURFSTONE 80MM					
Manufacturing Plants	WPB,ORL	LA	JAX,FP,ZH			
SqFt/ Pallet	83	62	117			
Layers/ Pallet	8	3	9			
Units/ Pallet	32	24	45			
SqFt/ Unit		2.58				
Weight/ Pallet	2244 lbs	1708 lbs	3115 lbs			
Core Colors	Natural Gray					
Additional Notes	Sold by full cube only.					

		ı		,
м	n	ш	L	c
IN	u		L	ю


 $For \ more \ pattern \ options \ visit \ belgard.com/products/pavers$

TURFSTONE COLOR GUIDE



TURFSTONE LAYING GUIDE





UNI-ECO STONE

Permeable Paver



PEDESTRIAN	LIGHT TRAFFIC	REGULAR TRAFFIC	HEAVY Traffic	PERMEABLE	COLORGARD PROCESS	FINISHES
(x)					©	SMOOTH
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

Uni-Eco 80mm 4 1/2 x 9 x 3 1/8

PALLET INFORMATION / ESTIMATING CHART


UNI-ECO STONE 80MM Manufacturing Plants WPB, ORL SqFt/ 79 Layers/ 8 Pallet 280 Units/ Pallet 2844 lbs Core Special Order


Additional Notes







UNI-ECO STONE COLOR GUIDE










NOTES	
For more pattern options visit: belgard.com/products/pavers	





PORCELAIN PAVERS

Belgard® is excited to announce an exclusive new offering being added to the versatile line of outdoor paving materials. Introducing Mirage® Porcelain Pavers, imported exclusively to the United States for Belgard. Mirage delivers authentic Italian-made porcelain pavers that meet the most aggressive durability standards. Porcelain pavers can be used in a variety of applications – from creative walkways, contemporary pool surrounds and gorgeous patio areas.















ARDESIE

STONE FINISH

APPLICATIONS









SHAPES & SIZES

23.54" x 23.54" x ³/₄"







Spacers are recommended for all porcelain paver installations.



Shore AD 01 NAT



African Stone AD 03 NAT



Island AD 02 NAT

ESPRIT

STONE FINISH

APPLICATIONS









SHAPES & SIZES

23.54" x 23.54" x ³/₄"







Spacers are recommended for all porcelain paver installations.



Cremo Delicato EP 01 ST



Lagos Grey EP 03 ST



Pieyra Piasentina EP 02 ST



105

Crema Luna EP 04 ST

Actual size & color may vary. Check with your local provider for availability and pricing.

QUARZITI 2.0

STONE FINISH

APPLICATIONS









SHAPES & SIZES

23.54" x 23.54" x ³/₄"



MODULAR*

11.73" x 23.54" x ³/₄"



^{*}Available colors: QR 02 - QR 03



Spacers are recommended for all porcelain paver installations.



Glacier QR 01 NAT



Mountains QR 02 NAT



Waterfall QR 03 NAT



River QR 04 NAT



Mantle QR 05 NAT

Actual size & color may vary. Check with your local provider for availability and pricing.

STONES 2.0

STONE FINISH

APPLICATIONS









SHAPES & SIZES

23.54" x 23.54" x ³/₄"







Spacers are recommended for all porcelain paver installations.



Chambrod SO 05 ST



Pierre Bleue Sablée SO 11 ST



Pierre Bleue SO 10 ST

Actual size & color may vary. Check with your local provider for availability and pricing.

SUNDECK

WOOD FINISH

APPLICATIONS









SHAPES & SIZES

23.54" x 23.54" x $^{3}/_{4}$ "



11.73" x 47.17" x ³/₄"






Spacers are recommended for all porcelain paver installations.



Origin SD 01 RD



Spirit SD 03 RD



Classic SD 02 RD

Actual size & color may vary. Check with your local provider for availability and pricing.

UNICO STEP AND COPING

SIZE

12.99 x 23.54 x 3/4

Double sided special trim

Two installation needs, a single solution. UNICO, size 13"x24"x3/4", is processed on both sides, on one side it has a rounded edge and on the other a square edge.

An extremely versatile special piece, which can be used both as a step and as a special piece for swimming pools, with bullnose edge or straight edge, both colored along the side.






















Quartziti 2.0 Waterfall QR 03



Actual color may vary. Check with your local provider for availability and pricing.





ANCHOR DIAMOND® 9D

Retaining Wall





RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	RETAINING WALLS	FINIS	SHES
					STONE CUT	STRAIGHT FACE
\checkmark	\checkmark	\checkmark	✓	\checkmark	✓	\checkmark

PRODUCT SPECIFICATIONS

Α	Diamond 9D Stone Cut				
6 x 17	3/4 x 9	100			






*D	Corner Unit	
6 x 18	x 9	

*D SOLD BY PIECE ONLY

PALLET INFORMATION / ESTIMATING CHART

DIAMOND 9D STONE CUT		DIAMOND 9D STRAIGHT FACE		DIAMOND UNIVERSAL WALL CAP		CORNER	
Manufacturing Plants	нс,zн	Manufacturing Plants	HC,ZH	Manufacturing Plants	HC,ZH	Manufacturing Plants	нс,zн
SqFt/ Unit	.67	SqFt/ Unit	.67	SqFt/ Pallet	-	SqFt/ Pallet	36
Units/ Pallet	48	Units/ Pallet	48	Units/ Pallet	96	Units/ Pallet	48
Weight/ Pallet	2976 lbs	Weight/ Pallet	2976 lbs	Weight/ Pallet	3360 lbs	Weight/ Pallet	3360 lbs
Core Colors	Harvest Blend, Sandstone	Core Colors	Harvest Blend, Sandstone	Core Colors	Harvest Blend, Sandstone	Core Colors	Special Order
Additional Colors	Carbondale, Grey, Stoneycreek, Pebble, Sienna Blend	Additional Colors	Carbondale, Grey, Stoneycreek, Pebble, Sienna Blend	Additional Colors	Carbondale, Grey, Stoneycreek, Pebble, Sienna Blend	Additional Notes	Units will build a 27" x 27" column. Sold by piece.

ANCHOR DIAMOND 9D COLOR GUIDE





NOTES

ANCHOR DIAMOND® PRO


Retaining Wall





RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	FIREPIT	RETAINING WALLS	MAILBOX	FINIS	SHES
				(8)			STRAIGHT FACE	BEVELED FACE
\checkmark	✓	\checkmark	✓	\checkmark	\checkmark	\checkmark	\checkmark	✓

PRODUCT SPECIFICATIONS




PALLET INFORMATION / ESTIMATING CHART

STRAIGHT FACE		BEVELED FACE		DIAMON	DIAMOND PRO CORNER		DIAMOND PRO CAP	
Manufacturing Plants	HC,ZH	Manufacturing Plants	HC,ZH	Manufacturing Plants	HC,ZH	Manufacturing Plants	HC,ZH	
SqFt/ Unit	1	SqFt/ Unit	1	SqFt/ Pallet	-	SqFt/ Pallet	-	
Units/ Pallet	48	Units/ Pallet	48	Units/ Pallet	36	Units/ Pallet	72	
Weight/ Pallet	3504 lbs	Weight/ Pallet	3504 lbs	Weight/ Pallet	3456 lbs	Weight/ Pallet	3168 lbs	
Core Colors	Grey, Pebble	Core Colors	Grey, Pebble	Core Colors	Special Order	Core Colors	Grey, Pebble	
Additional Notes	-	Additional Notes	-	Additional Notes	-	Additional Notes	-	

ANCHOR DIAMOND PRO COLOR GUIDE





ANCHOR DIAMOND PRO ESTIMATING GUIDE

For project material estimating, use the formulas listed in each step.

Determine the square footage of the total wall, including buried base course. Wall square footage (SF) = length (L) x height (H). Straight Face: SF x 1.4 = # units

2. CAP ESTIMATING

Convert wall length (L) to inches: L x 12 = L in inches (LI). Cap factor (CF) = cap front inches + cap back inches ÷ 2. (Additional caps will be needed for elevation changes and curves.)

LI ÷ CF = # caps

3. LEVELING PAD AGGREGATE ESTIMATING

Leveling pad aggregate is a compactible base material of 34-inch minus (with fines). The leveling pad extends at least 6 inches in front of and behind the wall units and is at least 6 inches deep after compaction. Wall length in feet (L) ÷ 27 x 1.1 = cubic yards (CY).

L ÷ 27 x 1.1 = CY **CY** x 1.6 = tons

4. DRAINAGE AGGREGATE ESTIMATING

Drainage aggregate is clear, 1-inch crushed stone (with no fines). The drainage column extends 12 inches behind the wall units. Wall length (L) x total wall height (H) = square feet (SF) \div 27 x 1.1 = cubic yards (CY). CY x 1.6 = tons. SF \div 27 x 1.1 = CY

CY x 1.6 = tons

5. GEOSYNTHETIC REINFORCEMENT ESTIMATING

See pages 108-118 to choose the appropriate estimating chart based on your project conditions.

NOTES

For more pattern options visit belgard.com/products/retaining_walls


ANCHOR DIAMOND PRO STONE CUT®


Retaining Wall





RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	RETAINING WALLS	FINISHES
					Stone Cut
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark





PALLET INFORMATION / ESTIMATING CHART

LARGE UNIT				
Manufacturing Plants	HC,ZH			
SqFt/ Unit	1			
Layers/ Pallet	-			
Units/ Pallet	48			
Weight/ Pallet	3456 lbs			
Core Colors	Grey, Pebble			


MEDIUM & SMALL UNITS				
Manufacturing Plants	нс,zн			
SqFt/ Unit	7 in39 SqFt 11 in61 SqFt			
Layers/ Pallet	-			
Units/ Pallet	48 (each)			
Weight/ Pallet	3456 lbs			
Core Colors	Special Order			

DIAMOND PRO CORNER					
Manufacturing Plants	HC,ZH				
SqFt/ Pallet	-				
Layers/ Pallet	-				
Units/ Pallet	36				
Weight/ Pallet	3456 lbs				
Core Colors	Special Order				

DIAM	DIAMOND PRO CAP				
Manufacturing Plants	HC,ZH				
SqFt/ Pallet	-				
Layers/ Pallet	-				
Units/ Pallet	72				
Weight/ Pallet	3168 lbs				
Core Colors	Grey, Pebble				

ANCHOR DIAMOND PRO STONE CUT COLOR GUIDE





NOTES

 $For more \ pattern \ options \ visit: belgard.com/products/retaining_walls$

ANCHOR HIGHLAND STONE®

Freestanding & Retaining Wall





RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	FIREPIT	RETAINING WALLS	MAILBOX	FINISHES
							STONE CUT
\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

PRODUCT SPECIFICATIONS **F Universal Wall Cap Retaining Wall Lg Unit *A 6" SRW Sm/Med 6 x 6 x 12 6 x 18 x 12 3 x 14 1/2 x 10 6 x 12 x 12 Freestanding Wall Lg Unit Coloumn Cap 18 x 18 x 4 6 x 18 x 9 *B 6" FSW Sm/Med 6 x 6 x 9 Column Unit 6 x 12 x 9 6 x 18 x 9

*A & B SOLD BY FULL PALLET ONLY

**E & F SOLD BY PIECE ONLY

NOTES For more pattern options visit: belgard.com/products/retaining_walls

ANCHOR HIGHLAND STONE COLOR GUIDE







PALLET INFORMATION / ESTIMATING CHART							
UNIT	SqFt/Pallet	Units/Pallet	Weight/Pallet	Core Colors	Additional Notes		
А	27	36 Each/ 72 Total	3204 lbs	Sandstone, Stoneycreek, Tortoise Shell	Each 6" Unit is .25 SqFt Each 12" Unit is .50 SqFt Sold by full pallet only.		
В	32	36 Total	3120 lbs	Sandstone, Stoneycreek, Tortoise Shell	Each 6" Unit is .21 SqFt Each 12" Unit is .50 SqFt Sold by full pallet only.		
С	27	48 Each/ 96 Total	2628 lbs	Sandstone, Stoneycreek, Tortoise Shell			
D	34	48 Total	3360 lbs	Sandstone, Stoneycreek, Tortoise Shell	Each Unit is .71 SqFt		
E	36	48 Total	3360 lbs	Special Order	Units will build a 27" x 27" column. Sold by piece.		
F	-	96	3360 lbs	Sandstone, Stoneycreek, Tortoise Shell	Sold by piece.		
G	-	45			5 Layers per Pallet		

CASTLE MANOR™

Freestanding & Retaining Wall





RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	FIREPIT	RETAINING WALLS	MAILBOX	FINISHES
				(Antique
\checkmark	\checkmark	\checkmark	✓	\checkmark	✓	\checkmark	\checkmark

PRODUCT SPECIFICATIONS

Α	Castle Man	В	Cas	stle Manor Cap	
6 x 6/	4 x 10		3 x 12	x 10	
Cast	tle Manor Unit	2	ļ L		I
6 x 12	2/10 x 10				
	tle Manor Unit				
6 x 16	5/14 x 10				
Cast	tle Manor Wall	Pins			
Appro per so	x. 3.5 pins ₁ . ft.	/			

A SOLD BY FULL CUBE ONLY, PINS INCLUDED.

PALLET INFORMATION / ESTIMATING CHART

Units Weathered/Antique Stone Finish	Approx. Dimensions	Approx. Weight, Lbs	Cube Data	Units Per Cube
Castle Manor™ Unit 1	6"Hx6"/4"Wx10"D	22		24
Castle Manor™ Unit 2	6"Hx12"/10"Wx10"D	48	31 SF/Cube (total of all pieces in cube)	24
Castle Manor™ Unit 3	6"Hx16"/14"Wx10"D	66		24
Castle Manor™ Cap	3"Hx12"Wx10"D	28	67 LF 10" side out	80 LF 12" side out
		Approx. 3.5 Pins per SF		

CASTLE MANOR COLOR GUIDE



NOTES


 $For \ more \ pattern \ options \ visit: belgard.com/products/retaining_walls$


$MEGA\text{-}TANDEM^{^{\text{\tiny TM}}}$

Retaining Wall













PRODUCT SPECIFICATIONS



MEGA-TANDEM LAYING GUIDE

MEGA TANDEM™ (MSRW) COMPONENTS JIGS 6 ft. high wall installation jig (fixed clamp shown) Dovetail connection Corner installation jig Wall unit CONNECTING MEMBERS For walls up to 6 feet For walls up to 10 feet







Compact the placed crushed stone to reach 95% standard proctor density.



Forming up to pour a 2" unreinforced concrete overlay for setting the first course of Mega-TandemTM Pouring the leveling pad with a low psi concrete. (MSRW). A 6" crushed stone leveling pad is an option as well.



123



Start the Mega-TandemTM (MSRW) at the lowest elevation. Start by setting the panels in place with the use of the wall jigs to help support the panels during the wall installation.



Insert the Mega-Tandem $^{\text{TM}}$ (MSRW) connecting members into the center dovetails to provide the structural support in the wall system.



 $Run\ a\ string\ line\ from\ the\ back\ side\ of\ the\ front\ wall\ veneer\ to\ assure\ proper\ horizontal\ wall\ alignment.$



Place the #57 stone inside the Mega-TandemTM (MSRW) panels to provide the internal gravel interlock. This will also provide for internal drainage to relieve hydrostatic pressure in the wall.



Place the drain tile directly behind the rear wall panel to provide for positive drainage through the wall to daylight.



Laying out the radi. Insert plastic connecting members into the veneer dovetails to keep the connectors as straight as possible. Make sure that each veneer has at least two connecting members for proper panel support.



Start the corner with the side textured fitting up against a MT wall (MSRW) panel facing the outer side of the wall. Then place additional panels to create a corner column. Insert the first two connectors upside down for the panel supports (break off the setback tab for this step). Then place two connectors in the opposite direction right side up to support the additional panels. Mega-Tandem WallTM requires four connecting members per course.



Place a concrete paver directly behind the wall panel and level from front to back. Then take the construction adhesive and place the glue on the paver and top of wall panel. Then secure the cap units to create the bond.



 $\label{prop:continuous} {\sf Run\ a\ string\ line\ for\ accurate\ wall\ alignment\ when\ setting\ the\ caps.}$



Place a low permeable soil for fill placement for the top of wall.

PALLET INFORMATION / ESTIMATING CHART								
LnFt/ Pallet	Layers/ Pallet	LnFt/ Layer	Units/ Pallet	Units/ Layer	LnFt/ Unit	Unit Weight	Weight/ Layer	Weight/ Pallet
96	8	12	48	6	2	66 lbs	396 lbs	3168 lbs

	For more pattern options visit belgard.com/products/retaining_walls
NOTES	

TANDEM® WALL


Freestanding & Retaining Wall




RESIDENTIAL	COMMERCIAL	STEPS	COLUMNS	FIREPIT	RETAINING WALLS	MAILBOX
				(A)		
\checkmark	✓	\checkmark	✓		\checkmark	

PRODUCT SPECIFICATIONS

Final swatch selection should always be verified with physical samples.










PALLET INFORMATION / ESTIMATING CHART


					TANDEM WALL					
Unit Size	Unit Height	Unit Front Width	Unit Back Width	Unit Depth	SqFt/ Pallet	Face Ft/ Pallet	SqFt/ Unit	Unit Weight	Weight/ Pallet	Units/ Pallet
Standard Wall Total	-	-	-	-	70.1	35.05	-	-	2082	90
Smoth Wall Total	-	-	-	-	70.1	35.05	-	-	2082	90
Ashlar Wall Total	-	-	-	-	70.1	35.05	-	-	2082	90
Small Unit	7"	13.2"	-	-	-	-	.64	18	-	30
Medium Unit	7"	15.8"	-	-	-	-	.77	22	-	30
Large Unit	7"	18.5"	-	-	-	-	.90	25	-	30
Cap Unit	3.24"	24"	-	15"	-	-		90	2920	30
Ashlar Column Unit	7	18.5"	-	-	45	-	.90	25	-	50

 $For \ more \ pattern \ options \ visit \ belgard.com/products/retaining_walls$





- 1-The base shall be made of starter units



TANDEM SEGMENTAL RETAINING WALL SECTION VIEWS


- NOTE:


 1. Base material shall be constructed of crushed stone. Center Lafitt Tandem units on leveling pad or foundation blocks or 2,000psi unreinforced lean concreteleveling pad.


 2. The base foundation shall be approved by the geotechnical engineer prio to placement of the leveling pad.

 3. Upper level of wall units not showing infill material in order to show connectors.


 4. Backfill is typically onsite soil unless otherwise shown on the plans.









STEP DETAIL VIEWS







STEPS & CORNERS



FREE STANDING WALLS



POST DETAIL VIEWS



- NOTE:

 1. Cut through geogrid layers.
 2. Fencing systems approved for use with Sleeve-it 1224R are limited to the following heights: Chain link up to 8 ft., Privacy-up to 6 ft (wooden, PVC, metal) Pedestrian Guards; 4ft max, Post size 4 x 4 maximum.
 3. Designed by others.
 4. A geotextile filter fabric seperator is required between the unit drainage material and site backfill soil in any application where free water is expected upon the wall face such as in a detention pond or along waterways where the high water level may be above the bottom of the wall.
 Use of filtret fabric shall extend a minimum of 1 foot above the anticipated high water level.
 5. A frence, railing, guide rail/fence or other protective barrier is typically required
- The choice, location, and compliance to local codes of the appropriate barrier.

 The choice, location, and compliance to local codes of the appropriate barrier. system is the reponsibilty of the owner and its site engineer.

 6. Backfill is typically onsite soil unless otherwise shown in the plans.


 Redirect geogrid above drainage pipes as required to avoid obstructions with drainage pipes extending transversely through the reinforced zone.

2. Reinforce the walls at the vertical obstruction as shown.

3. Backfill is typically onsite soil unless otherwise shown on the plans.


TYPICAL VERTICAL OBSTRUCTION DETAIL

7. Geotextile fabric as specified by the designing engineer is shown on the back face of the walls, it is recommended to be used to prevent native soils from infiltrating into the infill material.





TYPICAL GEOGRID INSTALLATION WITH DRAIN


- 1. Geogrid shall be placed on level backfill and extended over connector and up to the face of the unit, pull grid taut and backfill. Stake as required.
- Backfill is typically onsite soil unless otherwise shown on the plans.
 Geotextile fabric as specified by the designing engineer is shown on the back face. of the walls, it is recommended to be used to prevent native soils from infiltrating




TYPICAL GEOGRID INSTALLATION WITH CORNERS







BROKEN VENEER REPLACEMENT



BEFORE REPLACING THE BROKEN VENEER, REMOVE ALL THE VENEERS AND COPINGS FROM TOP OF IT IN A "V" SHAPE. ONCE THE AGREGATES ARE DRAIN FROM THAT SPACE, REPLACE THE BROKEN VENEER AND PUT BACK THE OTHER VENEERS BEFORE REFILLING THE WALL.

BROKEN VENEER

VENEER TO REMOVE

COPING TO REMOVE


TANDEM® WALL COLUMN KIT





PRODUCT SPECIFICATIONS

Final swatch selection should always be verified with physical samples.







COLUMN LAYING GUIDE


TANDEM™ COLUMN COMPONENTS



1 Column grid



Connectors: 50 Peices per bag (Enough for one column)



Pallet contains enough veneers to complete two 42" walls.




24" x 24" Cap Unit

STEP 1




Place the grid on a prepared surface

STEP 2




Make sure the outside perimeter of the grid is clear

STEP 3




Take a veneer and slide the supplied connectors into the dovetails until they snap onto the horizontal rod of the grid.

STEP 4




Take another stone and repeat the same process. Make sure you have a corner stone to finish the corner. Once installed, slide the stone along the horizontal axe to adjust the corner.


TEP 5 OPTIONA




Once you have completed the first two rows, use a square to make sure the column is square and then fill the space with 3/4 " clear aggregate. Fill the empty space with agregates at every row.




If you have to cut the grid before installation on the base, you must cut the vertical rod at mid distance between two horizontal rods as shown below.



To integrate a wall into the column you must cut a veneer every two rows. The cut must be done at the middle of the dovetail.



At the second row, cut a veneer (other than G format) at ther middle of the selected dovetail to fit with the space left.




Make the same at the opposite side.



Start again with a full veneer to cover the wall.

STEP 10 STEP 1





IMPORTANT
When you are starting the second row, make sure the base of the top veneer hits the top portion of the connector.



When you have reach the last row, cut the top portion of the connectors with pliers snippers or just by twisting the top portion with your hands.





Apply glue on the top of the veneers before putting on the capping. IMPORTANT: The capping must lay on the veneers , not on the grid.

For more pattern options visit belgard.com/products/retaining_walls


TANDEM® MODULAR GRID






PRODUCT SPECIFICATIONS

Final swatch selection should always be verified with physical samples.









*Tandem Veneer available in three sizes.



Build your wooden frame



Attach your Modular Grid



Attach Tandem Veneer with Connector

WESTON STONE® 3-PIECE & UNIVERSAL

Freestanding & Retaining Wall





PRODUCT SPECIFICATIONS

Weston Stone 3-Piece 4 x 8 x 8 4 x 12 x 8 4 x 16 x 8




PALLET INFORMATION / ESTIMATING CHART


WESTON STONE 3-PIECE				
Manufacturing Plants	JAX, ZH			
SqFt/ Pallet	42			
SqFt/ Unit	Small .22 Med .33 Lg .45			
Layers/ Pallet	-			
Units/ Pallet	42 Each/126 Total			
Weight/ Pallet	3300 lbs			
Core Colors	Harvest Blend Napoli Sandstone			
Additional Notes	Sold by full pallet only.			

WESTON STONE UNIVERSAL					
Manufacturing Plants	JAX, ZH				
SqFt/ Pallet	40				
SqFt/ Unit	.34				
Layers/ Pallet	-				
Units/ Pallet	120				
Weight/ Pallet	3600 lbs				
Core Colors	Harvest Blend Napoli Sandstone				
Additional Notes	Sold by single piece only.				

WESTON STONE COLOR GUIDE







NOTES

For more pattern options visit: belgard.com/products/retaining_walls

WESTON STONE® FIRE PIT KITS

Kit





PRODUCT SPECIFICATIONS

Circular Fire Pit Kit approximate outside measurement of 55" 39 12" inside & height of 16"

Square Fire Pit Kit	
44" outside 28" inside	

Weston Stone Circular Fire Pit Kit Contents	
4 x 8 x 8	
4 x 12 x 8	

Weston Stone Square Fire Pit Kit Contents	
4 x 12 x 8	

PALLET INFORMATION / ESTIMATING CHART

CIRCULAR FIRE PIT		
Manufacturing Plant	JAX, ZH	
Inside Diameter	39.5 in	
Accessories	Round Fire Ring, Grate, Adhesive	
Additional Notes	Sold by full pallet only.	
Weight/ Kit	-	
Core Colors	Harvest Blend Napoli Sandstone	

SQUARE FIRE PIT not pictured	
Manufacturing Plant	JAX, ZH
Inside Length	28 in
Accessories	Square Fire Ring, Grate, Adhesive
Additional Notes	Sold by full pallet only.
Weight/ Kit	-
Core Colors	Harvest Blend Napoli Sandstone

NOTES

For more pattern options visit belgard.com/products/pavers

WESTON STONE COLOR GUIDE







WESTON STONE FIRE PIT KIT INSTALL INSTRUCTIONS

FIRE PIT KITS INSTALLATION INSTRUCTIONS.

Before you begin, check the building code in your area and with your local fire department. There may be restrictions on open fires or requirements as to where you can place the fire pit in relation to your house or other structures. The fire pit should sit on a firm, non-combustible base, such as 6" of compacted gravel. Dig a hole at the center point approximately 12" wide by 2' deep and fill it with crushed stone. The hole acts like a sump to drain rainwater, ashes and soot.

• Use the insert as a guide to lay out the first course. Place it on the ground and position the block around the frame. Set aside the ring.

Round: 8 large and 10 small units per layer

Square: 12 units per layer Diameter: 39.5"

• Position the second course by offsetting the joints from the block in the row below. For a uniform inside diameter, plumb the units to the back of the block. Repeat this for the remaining courses until you have reached the desired height.


Round: 4 courses Square: 4 courses Diameter: 28"

Insert the fire-ring into the blocks and check for a snug fit around the top flange. Fill the fire pit with a graded stone or sand to the bottom of the inside flange. Reposition blocks if needed. A few dabs of construction grade adhesive along the outside edge may be used to secure the top two layers of block.


Package contents:

• 48 pieces of Weston Universal Wall, square metal insert, and adhesives.


Diamond Pro® Retaining Wall System Estimating Chart for Geosynthetic Reinforcement 3:1 Crest Slope




Diamond Pro® Retaining Wall System Estimating Chart for Geosynthetic Reinforcement 250 PSF Surcharge




Diamond Pro® Retaining Wall System Estimating Chart for Geosynthetic Reinforcement No Slopes / No Surcharges




Diamond Pro® Retaining Wall System Estimating Chart for Multistack Walls 3:1 Crest Slope




Diamond Pro® Retaining Wall System Estimating Chart for Multistack Walls 250 PSF Surcharge




Diamond Pro® Retaining Wall System Estimating Chart for Multistack Walls No Slopes / No Surcharges



Anchorplex[™] Construction with Diamond Pro® Retaining Wall System Estimating Chart for Structural Backfill 3:1 Crest Slope




Anchorplex[™] Construction with Diamond Pro® Retaining Wall System Estimating Chart for Structural Backfill 250 PSF Surcharge



BELGARD

151

Anchorplex[™] Construction with Diamond Pro® Retaining Wall System Estimating Chart for Structural Backfill No Slopes / No Surcharges



ANCHOR DIAMOND PRO STONE CUT ESTIMATING FORMULA

Level Backfill

Gravel (= 34?)					
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid	
4	0.5	0	0	n/a	
5	0.5	3.5	2	VG 3.0	
6	0.5	4.0	2	VG 3.0	
7	1.0	5.0	3	VG 3.0	
8	1.0	5.5	4	VG 3.0	
9	1.0	6.0	4	VG 3.0	
10	1.0	6.5	5	VG 3.0	
12	1.0	8.0	6	VG 3.0	

Sand (= 30?)						
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid		
4	0.5	4.0	1	VG 3.0		
5	0.5	4.0	2	VG 3.0		
6	0.5	4.5	2	VG 3.0		
7	1.0	5.5	3	VG 3.0		
8	1.0	6.0	4	VG 3.0		
9	1.0	6.5	5	VG 3.0		
10	1.0	7.0	5	VG 3.0		
12	1.0	8.5	7	VG 3.0		

Clay	(= 28?)		
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid
4	0.5	4.0	1	VG 3.0
5	0.5	4.5	2	VG 3.0
6	0.5	5.0	2	VG 3.0
7	1.0	5.5	3	VG 3.0
8	1.0	6.0	4	VG 3.0
9	1.0	6.5	5	VG 3.0
10	1.0	7.0	6	VG 3.0
12	1.0	8.5	7	VG 3.0






Gravel (= 34?)					
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid	
4	0.5	4.0	1	VG 3.0	
5	0.5	4.0	2	VG 3.0	
6	0.5	4.5	3	VG 3.0	
7	1.0	5.5	4	VG 3.0	
8	1.0	6.0	4	VG 3.0	
9	1.0	6.5	5	VG 3.0	
10	1.0	7.5	6	VG 3.0	
12	1.0	8.5	7	VG 3.0	

Sand	(= 303	')		
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid
4	0.5	4.5	1	VG 3.0
5	0.5	4.5	2	VG 3.0
6	0.5	5.5	3	VG 3.0
7	1.0	6.5	4	VG 3.0
8	1.0	7.0	5	VG 3.0
9	1.0	8.0	6	VG 3.0
10	1.0	8.5	6	VG 3.0
12	1.0	10.0	7	VG 5.0

Clay (= 28?)					
id	H (feet)	D (feet)	L (feet)	layers	VERSA-Grid
	4	0.5	4.5	2	VG 3.0
	5	0.5	5.5	2	VG 3.0
	6	0.5	6.0	3	VG 3.0
	7	1.0	8.0	4	VG 3.0
	8	1.0	9.5	5	VG 3.0
	9	1.0	11.0	6	VG 3.0
	10	1.0	12.0	6	VG 5.0
	12	1.0	15.0	7	VG 5.0

Surcharge Backfill



H (feet)	D (feet)	L (feet)	layers	VERSA-Grid
4	0.5	4.0	2	VG 3.0
5	0.5	4.5	2	VG 3.0
6	0.5	5.0	3	VG 3.0
7	1.0	6.0	4	VG 3.0
8	1.0	6.5	4	VG 3.0
9	1.0	7.0	5	VG 3.0
10	1.0	7.5	5	VG 3.0
12	1.0	9.0	7	VG 3.0

Gravel (= 34?)

Sand	(= 30	?)		
H (feet)	D (feet)	L (feet)	layers	VERSA-Grid
4	0.5	4.5	2	VG 3.0
5	0.5	5.5	2	VG 3.0
6	0.5	6.0	3	VG 3.0
7	1.0	7.0	4	VG 3.0
8	1.0	7.5	5	VG 3.0
9	1.0	8.5	5	VG 3.0
10	1.0	9.0	6	VG 3.0
12	1.0	10.0	7	VG 5.0

1	Clay (= 28?)					
ı	H (feet)	D (feet)	L (feet)	layers	VERSA-Grid	
	4	0.5	5.5	2	VG 3.0	
	5	0.5	6.0	2	VG 3.0	
	6	0.5	6.5	3	VG 3.0	
	7	1.0	7.5	4	VG 3.0	
	8	1.0	8.0	5	VG 3.0	
	9	1.0	9.0	5	VG 3.0	
	10	1.0	9.5	6	VG 3.0	
	12	1.0	11.0	7	VG 5.0	

ANCHOR HIGHLAND STONE RETAINING WALL SYSTEM

For project material estimating, use the formulas listed in each step.

1. EXPOSED WALL UNIT ESTIMATING

Determine the square footage of the exposed wall: Exposed wall length (L) x height (H) = square feet (SF). 6-Inch units $SF \div 1.5 = \#$ units each size

2. BURIED BASE UNIT ESTIMATING

Build buried base course using 6-inch large units. Determine the length (L) of the base in feet. L \div 1.5 = # 6-inch large units

3. CAP ESTIMATING

Convert wall length (L) to inches: L x 12 = L in inches (LI). Cap factor (CF) = cap front inches + cap back inches \div 2. For curved wall, add 10%. LI \div CF = # caps

4. FILTER FABRIC ESTIMATING

Non-woven, 4- to 6-ounce filter fabric. Determine the SF of total wall. $\mathbf{SF} \div \mathbf{9} = \mathbf{square}$ yards fabric

5. LEVELING PAD AGGREGATE ESTIMATING

Leveling pad aggregate is a compactible base material of 3/4-inch minus (with fines). The leveling pad is a minimum of 6 inches in front of and behind the wall units and 6 inches deep after compaction. Wall length (L) in feet \div 27 x 1.1 = cubic yards (CY). CY x 1.6 = tons. L \div 27 x 1.1 = CY CY x 1.6 = tons

6. DRAINAGE AGGREGATE ESTIMATING

Drainage aggregate is clear 1-inch crushed stone (with no fines). The drainage column extends 12 inches behind the wall units. Wall length (L) in feet x total wall height (H) in feet $= SF \div 27 \times 1.1 = \text{cubic yards (CY)}$. CY x 1.6 = tons.

 $SF \div 27 \times 1.1 = CY \quad CY \times 1.6 = tons$

7. GEOSYNTHETIC REINFORCEMENT ESTIMATING

See reinforcement estimating charts on pages 108-117 for variations in soil and site conditions.

ANCHOR HIGHLAND STONE FREESTANDING WALL SYSTEM

For project material estimating, use the formulas listed in each step.

1. WALL ESTIMATING

Straight Walls - Determine the square footage of the exposed wall. Exposed wall is long (L) x height (H) = square feet (SF). SF \div 1.4 = # units of each size for exposed wall. SF \div 1.4 = # units of each size for exposed wall

Curved Walls - The buried course of a curve requires the same kind of blocks as used in the pattern above ground. The square footage of the inside radius is slightly less than the square footage of the outside radius. When estimating, measure the outside wall face. Square footage (SF), including base course, \div by 1.5. SF \div 1.5 =# units of each size

2. BURIED BASE UNIT ESTIMATING

Use the large units for the buried base when building straight walls. Divide the wall Length (L) by 1.4 to determine the number of large units needed for the base of a straight wall. L \div 1.4 = # large units for buried base

3. COLUMN QUANTITY ESTIMATING

Estimate the quantity needed for a column by multiplying the height (H) in feet, including the buried course, x 8. H x 8 = # units per column

4. CAP ESTIMATING

Convert wall Length to inches. Wall Length (L) \times 12 = L in inches (LI). The cap factor (CF) = cap front inches + cap back inches \div 2. LI \div CF = # caps for wall

For curved walls, add 10 percent. If you are using wall caps for the column, multiply the number of caps needed per column by the number of columns you are building.

5. WALL LEVELING PAD AGGREGATE ESTIMATING

Leveling pad material is a compactible base material of 34" minus (with fines). The leveling pad extends at least 6" in front of and behind the wall units and is at least 6" deep after compaction. [Wall Length in feet (L) x leveling pad width in feet (W) x leveling pad depth in feet (D)] $\div 27 \times 1.1 = \text{cubic yards (CY)}$.

6. COLUMN OR PILASTER LEVELING PAD AGGREGATE ESTIMATING


Leveling pad material is a compactible base material of 34" minus (with fines). The leveling pad for a 27" x 27" column or pilaster is 39" square and at least 6" deep after compaction. (L x W x D) \div 27 x 1.1 = CY CY x 1.6 = tons

You can install the Highland Stone® system in a random pattern using any combination of units. Just avoid vertical lines that span more than 1 foot in height.


If you are building a wall without geosynthetic reinforcement, use a pattern for inspiration or follow a pattern exactly. Pleasing random patterns can be built using an equal number of 3- and 6-inch-high blocks or using an equal square footage of blocks in each size. The estimating formulas are based on using an equal number of blocks of each size in each height


When building a wall that includes geosynthetic reinforcement, using a pattern at the appropriate spacing eliminates the need to cut the grid. When using a pattern, begin at one edge laying the blocks as indicated. Install at least one repeat of the pattern to establish the pattern before proceeding to the next course.

HIGHLAND STONE 6-INCH BLOCK PATTERN




Castle Manor™ bench kit







Bench Column





Bench Column Cap







26" x 26" Castle Manor™ column kit Front and Isometric views











AQUASTYL®

Coping
Special Order ONLY.





PRODUCT SPECIFICATIONS Aquastyl Coping 80mm 9 x 12 x 3 1/8

AQUASTYL COPING 80MM				
Manufacturing Plant	WPB			
Layers/ Pallet	8			
Units/ Pallet	96			
Weight/ Pallet	2496 lbs			
Additional Notes	Sold by full cube only.			

PALLET INFORMATION / ESTIMATING CHART

NOTES
For more pattern options visit: belgard.com/products/finishing_touches

Color Swatches DO NOT represent product texture.







BULLNOSE COPING

Coping





PRODUCT SPECIFICATIONS



PALLET INFORMATION / ESTIMATING CHART

BULLNOSE COPING			
Manufacturing Plants	WPB, HC, LA		
Layers/ Pallet	8		
Units/ Pallet	336		
Weight/ Pallet	2028 lbs		
Additional Notes	Also available in 60mm Shell Stone		

BULLNOSE COPING COLOR GUIDE

SEE PAGE 165 FOR A COMPLETE LIST OF AVAILABLE COLORS FOR THIS PRODUCT

NOTES

For more pattern options visit belgard.com/products/finishing_touches

BELGARD^{*}

FOUNTAINHEAD COPING

Remodel





PRODUCT SPECIFICATIONS

Fountainhead C	oping 30mm
4 x 9 x 5 1/2 4" Drop	7

PALLET INFORMATION / ESTIMATING CHART

FOUNTAINHEAD COPING 30MM	
Manufacturing Plants	WPB
Layers/ Pallet	5
Units/ Pallet	90
Weight/ Pallet	315 lbs

FOUNTAINHEAD COPING COLOR GUIDE

SEE PAGE 165 FOR A COMPLETE LIST OF AVAILABLE COLORS FOR THIS PRODUCT

NOTES

For more pattern options visit belgard.com/products/finishing_touches

SEVILLE COPING

Remodel





PRODUCT SPECIFICATIONS

Seville Coping 30mm	
4 x 9 x 4 2 1/2" Drop	-

PALLET INFORMATION / ESTIMATING CHART

SEVILLE COPING 30MM	
Manufacturing Plants	WPB
Layers/ Pallet	8
Units/ Pallet	336
Weight/ Pallet	2028 lbs
Additional Notes	Also available in 30mm Shell Stone

SEVILLE COPING COLOR GUIDE

SEE PAGE 165 FOR A COMPLETE LIST OF AVAILABLE COLORS FOR THIS PRODUCT

NOTES

For more pattern options visit belgard.com/products/finishing_touches

BELGARD[°]

OCEANSIDE COPING

Coping & Remodel






PRODUCT SPECIFICATIONS



PALLET INFORMATION / ESTIMATING CHART

BULLNOSE COPING 60MM	
Manufacturing Plant	нс
Layers/ Pallet	8
Units/ Pallet	336
Weight/ Pallet	2028 lbs


SEVILLE COPING 30MM	
Manufacturing Plant	нс
Layers/ Pallet	8
Units/ Pallet	336
Weight/ Pallet	2028 lbs



AVAILABLE COLOR OPTIONS

Coping and Remodel

Applicable to the following Belgard products: Bullnose Coping, Fountainhead Coping, and Seville Coping







A beautiful combination of Weston Wall tumbled block, featuring Arbel® Paver and Urbana® Stone accents. Bristol's rustic look blends well in any landscape.



AVAILABLE COLORS

MAIN BODY	ACCENT
Gascony Tan	Ashbury Haze
Cotswold Mist	Brookstone Slate



GASCONY TAN







ASHBURY HAZE



BROOKSTONE SLATE











GRILL ISLAND*

Rough Dimensions:
3'D x 6' 4"W x 4' 4"H

FIREPLACE, WOOD BOXES & ARCHED HEARTH SPECIFICATIONS



FIREPLACE

70580261

Bristol Fireplace

Colors: Weston Gascony Tan/

Arbel Ashbury Haze Base + Top

70580312

Bristol Fireplace

Colors: Weston Cotswold Mist/

Arbel Brookstone Slate Base + Top

Approximate Weight:

Bottom Unit-4095 lbs. Top Unit-3200 lbs.

Top Unit-3200 lbs.

Rough Dimensions:

WOOD BOXES

70580334

Bristol Wood Boxes (Pair)

Colors: Weston Gascony Tan/Urbana Ashbury Haze

70580534

Bristol Wood Boxes (Pair)

Colors: Weston Cotswold Mist/Urbana Brookstone Slate

Approximate Weight Per Pair:

3950 lbs.

Rough Dimensions:

2' 4"D x 3'W x 3' 3"H

ARCHED HEARTH

70580262

Bristol Arched Hearth

Colors: Weston Gascony Tan/Arbel Ashbury Haze

70580309

Bristol Arched Hearth


Colors: Weston Cotswold Mist/Arbel Brookstone Slate

Approximate Weight:

1180 lbs.

Rough Dimensions:

2'D x 5'W x 11"H



BRICK OVEN & GRILL ISLAND SPECIFICATIONS



BRICK OVEN

70583280

Bristol Brick Oven Colors: Weston Gascony Tan/ Urbana Ashbury Haze Base + Top

70580205

Bristol Brick Oven Colors: Weston Cotswold Mist/ Urbana Brookstone Slate Base + Top

Approximate Weight:

Bottom Unit-3125 lbs. Top Unit-3800 lbs.

Rough Dimensions:

4'D x 4'W x 8' 5"H

GRILL ISLAND

13110008 (NG) / 11130250 (LP)

Bristol Grill Island

Colors: Weston Gascony Tan/ Arbel Ashbury Haze + Stainless

13110009 (NG) / 13110256 (LP)

Bristol Grill Island

Colors: Weston Cotswold Mist/ Arbel Brookstone Slate + Stainless

Approximate Weight:

3945 lbs


Rough Dimensions:


3'D x 6' 4"W x 4' 4"H


GRILL ISLAND INCLUDES

- Napoleon 5 Burner Grill
- Stainless Steel Cooking Grids
- i-Glow Backlit Control Knobs
- Rear Infrared Rotisserie Burner
- 760 sq. in. of cooking surface
- Up to 66,000 BTU
- Requires 110v outlet
- Napoleon 30" Stainless Steel Double Doors
- * Hoses not included, recommended hard-piped installation.

3' 4"









6' 8"







BRIGHTON SERIES



AVAILABLE COLORS

MAIN BODY	ACCENT
Gascony Tan	Ashbury Haze
Cotswold Mist	Brookstone Slate



GASCONY TAN



COTSWOLD MIST



ASHBURY HAZE



BROOKSTONE SLATE

BRIGHTON SERIES





WOOD BOXES

Rough Dimensions: 2' 4"D x 2' 8"W x 2' 11"H



BELGARD^{*}

BRIGHTON SERIES

FIREPLACE & WOOD BOXES SPECIFICATIONS

FIREPLACE

70580007

Brighton Fireplace

Colors: Weston Gascony Tan/Urbana Ashbury Haze Base + Top

70580378

Brighton Fireplace

Colors: Weston Cotswold Mist/Urbana Brookstone Slate Base + Top

Approximate Weight:

Bottom Unit-4605 lbs. Top Unit-1230 lbs.

Rough Dimensions:

3' 4"D x 4' 4"W x 8' 4"H

36" wood burning fireplace can be converted to a vented gas unit on-site.

WOOD BOXES

70300046

Brighton Wood Boxes (Pair) Colors: Weston Gascony Tan/Urbana Ashbury Haze

70580291

Brighton Wood Boxes (Pair)


Colors: Weston Cotswold Mist/Urbana Brookstone Slate

Approximate Weight Per Pair:


3200 lbs.

Rough Dimensions:

2' 4"D x 2' 8"W x 2' 11"H







BORDEAUX SERIES



AVAILABLE COLORS

MAIN BODY	ACCENT
Sienna	Buff
Sienna	Midnight

BUFF



SIENNA



MIDNIGHT



BORDEAUX SERIES

FIREPLACE & WOOD BOXES **SPECIFICATIONS**





FIREPLACE

70300791

Bordeaux Builder Wood Fireplace Colors: Lamina Sienna/ Cordova Stone Buff Base + Top

13070014

Bordeaux Builder Wood Fireplace Colors: Lamina Sienna/ Cordova Stone Midnight Base + Top

Approximate Weight:

Bottom Unit-2850 lbs. Top Unit-1320 lbs.

Rough Dimensions:

2' 7"D x 4' 3"W x 8'H

36" wood burning fireplace can be converted to a vented gas unit on-site.

WOOD BOXES

13140001

Bordeaux Wood Boxes (Pair) Colors: Lamina Sienna/Cordova Stone Buff

13140020


Bordeaux Wood Boxes (Pair) Colors: Lamina Sienna/Cordova Stone Midnight


Approximate Weight:


3070 lbs.


Rough Dimensions:

2' 1 1/4"D x 3' 3"W x 3' 1"H









BORDEAUX SERIES

BRICK OVEN & GRILL ISLAND SPECIFICATIONS



BRICK OVEN

13000012

Bordeaux Brick Oven Colors: Lamina Sienna/ Cordova Stone Buff Base + Top

13000014

Bordeaux Brick Oven
Colors: Lamina Sienna/

Cordova Stone Midnight Base + Top

Approximate Weight:

5252 lbs.

Rough Dimensions:

3' 6"D x 4' 5"W x 7' 5"H

GRILL ISLAND

13110010 (NG) / 13110011 (LP)

Bordeaux Grill Island Colors: Lamina Sienna/

Cordova Stone Buff + Stainless

13110014 (NG) / 13110015 (LP)

Bordeaux Grill Island Colors: Lamina Sienna/

Cordova Stone Midnight + Stainless

Approximate Weight:


3055 lbs.

Rough Dimensions:

2' 6"D x 5' 11"W x 3' 5"H

GRILL ISLAND INCLUDES


- Napolean 5-Burner Grill
- Porcelanized Cast Iron Cooking Grids
- JETFIRE Ignition
- Rear Infrared Rotisserie Burner
- 760 sq. in. of cooking surface
- Up to 66,000 BTU
- Napoleon 30" Stainless Steel Double Doors
- * Hoses not included, recommended hard-piped installation.











KITCHEN

DESIGN IDEAS & ACCESSORIES

Kitchens can be customized & combined to fit almost any outdoor space. See some kitchen layout suggestions below.



STRAIGHT KITCHEN



DELUXE KITCHEN



36" AOG GRILL 36NB 37"W x 19 1/2"D x 8 1/2"H



NAPOLEON PRESTIGE 500 GRILL 70583423 NG 70583422 LP* 32"W x 32"D x 26"H



AOG DOUBLE DRAWER
16-15-DSSD
14 1/2"W x 20 1/2"D x 15 3/4"H



AOG DOUBLE ACCESS DOOR
20-30-55D
20 3/4"H x 30"W



AOG SINGLE ACCESS DOOR
20-14-SSDR or DL
20 3/4"H x 14 1/2"W



AOG REFRIGERATOR REF-20 19 3/4"W × 21 3/4"D × 34 3/4"H

KITCHEN

DESIGN IDEAS & ACCESSORIES

Kitchens can be customized & combined to fit almost any outdoor space. See some kitchen layout suggestions below.



"L" KITCHEN



"L" WITH OVEN



NAPOLEON PRESTIGE PRO 500 GRILL 70583420 NG 70583421 LP* 32"W x 32"D x 26"H



FIRE MAGIC SINK & FAUCET 3587 & 3588 14"W x 14"D x 6"H



NAPOLEON 30" STAINLESS STEEL DOUBLE DOORS 70588232 28 1/4"W × 20 1/4"H



AOG SINGLE SIDE BURNER
3283
8 3/4"W x 14 1/4"D



FIRE MAGIC BAR CADDY

1D-50

14 1/4"W x 23 3/4"D x 12"H

*NOTE: 1 Napoleon propane regulator required for all Napoleon LP Grills (70580428)

BELGARD BRICK OVENS™

A beautiful focal point to your new outdoor living space, a brick oven will bring your family and friends hours of enjoyment. Options range from complete built-in to easy table top models giving you an unparalled outdoor experience in any space.




PRODUCT SPECIFICATIONS

CBO-500 Bundle

4-piece oven (Dome, Hearth (2 pieces), Arch, Decorative Door, Flue Adaptor) Install Kit (Insulating Board, Insulating Blanket, Mortar) Cooking Kit (Pizza Peel, Brush)



Model 500





Cooking Surface	Height	Length	Width	idth Weight	Item Number
29" x 23"	16"	32.5"	31.75"	300	70300031

CBO-750 Bundle


5-piece oven (Dome, Hearth, Arch, Decorative Door, Flue Adaptor, Flue Adaptor Ring) Install Kit (Insulating Board, Insulating Blanket, Mortar) Cooking Kit (Insulating Door, Pizza Peel, Brush)



Model 750







Cooking Surface	Height	Length	Width	Weight	Item Number
41" x 28"	16.25"	37.5"	43.5"	480	70580500



BELGARD BRICK OVEN CART

A durable stainless steel wood burning brick oven and mobile cart unit.



BELGARD COUNTER TOP MODEL

A durable stainless steel countertop brick oven with large cooking surface.



Dome



CBO-500 Insulating Board



CBO-500 Flue Adaptor



Hearth



CBO-750 Insulating Board



CBO-750 Flue Adaptor



Arch



Insulating

CBO-750

Adaptor Ring





Decorative

Door



CBO-750 Mortar



Insulating Door



Pizza Peel



Brush

Stationary



CBO Counter Top modelA pre-assembled brick oven that can be placed on a sturdy base of your choice.

Color Availability	Model	Height	Depth	Width	Weight	Item Number
Copper	500	46"	32"	34"	500	70580509
Copper	750	46"	40"	35.5"	600	70580510

Pre-Assembled



Bristol

This preassembled brick oven consists of Weston Wall body with Urbana, Dublin Cobble and Anchor Highland Accents. Comes standard with 750 Series brick oven.

Model	Height	Length	Width	Weight	Item Number
750	7.75'	4'	4'	6500	70306097



Oven with durable, steel cart to give you a mobile, outdoor wood-fired brick oven.

Color Availability	Model	Height	Depth	Width	Weight	Item Number
Copper	500	61"	32"	34"	550	70580507
Copper	750	61"	32"	35.5"	650	70580508




Bordeaux

The newest brick oven model offers a stainless steel dome design with Lamina Stone body & Cordova Stone accents.

Model	Height	Length	Width	Weight	Item Number
750	7.75'	4'	4'	6500	70306097

Elements are very easy to install. Here are a couple cross section details to consider. Keep in mind, these are not engineered plans. Make sure you check with your local municipality for their requirements when installing Elements. Here are a few other key points to remember:

- Always place a piece of material (plywood or carpet work well) between your forks and the Elements to prevent chipping.
- Always transport the Element on the pallet it comes with until you are ready to place on the permanent location.
- Make sure to use a ratchet strap to secure the Element to the loader when transporting and placing.
- Handle Elements with care they are concrete, but not indestructible.
- Make sure to size the machine to the Elements weight.
- All Elements are designed to be buried 4" below finish grade.





CONCRETE PAD


INSTALLATION

For areas not affected by freeze-thaw conditions please contact your local Belgard sales representative for further installation information.


Typical Cross Section for Concrete Pad Installation

**The following measurements are a suggestion. Always check your local building codes first.
















ELEMENTS LIMITED WARRANTY

This Element has been manufactured by Belgard Hardscapes, a division of Oldcastle Architectural, Inc. Belgard warrants to the first consumer purchaser (but not to any transferees or subsequent owners) that the Element will be free from defects in workmanship and materials, under normal use, for as long as the Element is owned by such first consumer purchaser, and that the Element, when installed and used in accordance with the written installation manual, shall comply with all applicable federal, state and local laws. If the Element includes a fireplace, it shall comply with UL127 CAN/ULC-S610-M87. Notwithstanding the foregoing, some third party accessories and components such as brick oven domes, fireplace screens, sinks and faucets, stainless kitchen doors, stainless appliances, and countertop material sold with or incorporated into the Element are warranted only for the shorter of the warranty period above or the following specific periods set forth below, and are subject to the limitations described below: Please see specific manufacturer's warranty for more details.

The above warranty periods begin on the date of initial purchase of the Element by the first consumer purchaser. All warranties expire upon any transfer or change of ownership of the Element (or the residence at which it is first installed) to any person other than the first consumer purchaser.

Belgard's sole obligation under this express warranty shall be, at Belgard's option and expense, to replace the Element or part, or to repair the Element or part. Belgard warrants any replaced Element or part for a period of ninety (90) days from shipment, or through the end of the original warranty period, whichever is longer. All Elements or parts that are replaced become the property of Belgard.

Belgard makes no warranty regarding texture, color, color change, efflorescence, fading or other aesthetic characteristics of any Element. Belgard does not guarantee that any replacement components will be an exact match to the color or texture of the original Element.

This limited warranty is void in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, improper maintenance or any unauthorized repair, modification or adjustment of the Element. This limited warranty does not cover labor or other costs or expenses associated with repairs performed by anyone other than Belgard or one of Belgard's authorized agents absent Belgard's prior written consent. Any implied warranties are limited to the duration of this express warranty. Some states do not allow the limitation on implied warranties so the foregoing limitation may not apply to you. In the event that the exclusive remedies provided above fail, Belgard's liability shall be limited to an amount equal to the original purchase price paid by the first consumer purchaser. Under no circumstances shall Belgard be liable for any special, indirect, incidental, consequential, punitive or similar damages, all of which are expressly excluded from this warranty and from any implied warranty arising under state law, including any implied warranty of merchantability and any implied warranty of fitness for a particular purpose, and some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This limited warranty applies to Elements installed in or at personal residences only. No warranty whatsoever, express or implied, is made with respect to commercial applications.







PAVER MAINTENANCE

SEALERS, CLEANERS & ADHESIVES

Choose from a complete line of Techniseal® Sealers—the perfect finishing touch for your Belgard® project. Belgard dealers carry a complete line of Techniseal® quality sealers to give your project that final touch to keep your outdoor space looking beautiful season after season for years to come.

ACCESSORIES PRODUCT CHART							
Belgard Paver Care Products	Unit Specs	Item #	Oldcastle Product #				
Belgard Oil and Grease Cleaner	2.5 Gallon	BG-200	60200022				
Belgard Efflorescence Cleaner (concentrate)	2.5 Gallon	BG-150	6010089				
Belgard Efflorescence Cleaner (concentrate)	1 Gallon	BG-150	60100077				
Belgard Paver Haze Solvent Cure	5 Gallon	BG-4585	60202020				
Belgard Paver Re-Seal	5 Gallon	BG-4073	60300123				
Belgard Paver Re-Seal	1 Gallon	BG-4073	60100122				
Belgard El Natural Paver & Travertine Sealer	2.5 Gallon	BG-10	60307531				
Belgard El Natural Paver & Travertine Sealer	1 Gallon	BG-10	60307533				
Belgard Solvent Based High Solids Sealer	5 Gallon	BG-298	60307533				
Belgard LS Low Solids Sealer	5 Gallon	BG-354	60307534				
Belgard WB Bio Based Sealer	5 Gallon	BG-2295	6030124				
Belgard WB Bio Based Sealer	1 Gallon	BG-2295	60300125				
Adhesives	Unit Specs	Item #	Oldcastle Product #				
Belgard Hardscape Adhesive II	28 oz. Tube	BG-28	60200028				
Polymeric Sand	Unit Specs	Item #	Oldcastle Product #				
Polymeric Sand HP II Canvas Tan	50 lb Bag	-	65460013				
Polymeric Sand HP II Slate Gray	50 lb Bag	-	40100041				
Paver Lights	Unit Specs	Item #	Oldcastle Product #				
4 x 8- 8 Light Set	-	-	70555608FL				
4 x 8- 14 Light Set	-	-	70555604FL				
6 x 9- 6 Light Set	-	-	70555607FL				



COASTAL an Oldcastle Company

5959 Soutel Drive | Jacksonville, FL 32219 Ph: 904.713.9996 | Fx: 904.713.9985

39 West Landstreet Road | Orlando, FL 32824

Ph: 800.226.9117 | Fx: 407.851.9316

2200 12 Street | Sarasota, FL 34237 Ph: 941.957.3933 | Fx: 941.366.1343

8910 North 12 Street | Tampa, FL 33604 Ph: 800.356.7283 | Fx: 813.933.4914

7167 Interpace | West Palm Beach, FL 33407

Ph: 800.226.0004 | Fx: 561.844.5454

3302 Ne 2 Street | Gainesville, FL 32609 Ph: 352.377.1699 | Fx: 352.377.2604

325 North Street | Longwood, FL 32750 Ph: 407.831.1050 | Fx: 407.331.6150

5603 Anderson Road | Tampa, FL 33614 Ph: 813.886.7761 | Fx: 813.886.8822 2902 Warehouse Road | Ft. Myers, FL 33916 Ph: 239.334.8022 | Fx: 239.334.0870

3749 Copeland Drive | Zephyrhills, FL 33542 Ph: 888.321.2354 | Fx: 813.783.2728

1590 North Andrews Avenue Ext.

Pompano Beach, FL 33069

Ph: 954.972.7400 | Fx: 855.265.5169

1980 Marley Drive | Haines City, FL 33844 Ph: 863.421.7422 | Fx: 863.421.1250

421 Leonard Blvd North | Lehigh Acres, FL 33971

Ph: 239.368.9700

Showroom

6187 Shirley Street | Naples, FL 34109 Ph: 239.633.2596 By appointment only.



Get Social



Pinterest.com/Belgard



Facebook.com/BelgardHardscapes



Belgard.com/Blog



YouTube.com/BelgardHardscapes



I 📙 T

Twitter.com/Belgard